

# Index for *Murach's ASP.NET 3.5 with VB 2008*

[\[Book summary\]](#)   [\[Table of contents\]](#)   [\[Last chapter in book\]](#)   [\[Murach Books home page\]](#)

&nbsp;, 42, 43, 162, 164  
.NET data provider, 380, 381  
.NET data type (profile property), 694, 695  
.NET Framework, 16, 17  
.NET Framework Class Library, 16, 17  
.NET Framework version (for new web site), 32, 33  
~ operator, 90, 91  
3-layer architecture, 546, 547  
3-tier architecture, 548

## A

---

A (Anchor) element, 174, 175  
A tags (query strings), 296, 297  
Absolute URL, 90, 91  
Accelerator key, 208  
Access data source  
    configuring, 94, 95  
    creating, 92, 93  
Access key, 208, 209  
Access rules, 652, 653  
    Authentication application, 672, 673  
AccessDataSource control, 74, 75, 92, 93  
AccessKey attribute, 208, 209  
Activate event (View control), 728, 729  
Active class, 182, 183  
Active mode (FTP), 126, 127  
ActiveStepChanged event (Wizard control), 738, 739  
ActiveStepIndex property (Wizard control), 734, 735, 738, 739  
ActiveViewChanged event (MultiView control), 728, 729  
ActiveViewIndex attribute (MultiView control), 720, 721, 728, 729  
Add method  
    ControlCollection class, 914, 915  
    HttpApplicationState class, 287  
    HttpCookieCollection class, 292, 293  
    HttpSessionState class, 102, 103  
    ListItemCollection class, 226, 227  
    StateBag class, 275  
AddUserToRole method (Roles class), 682, 683  
ADO.NET 3.5 (ActiveX Data Objects), 380, 381  
    classes, 386-389  
AffectedRows property (e argument), 446, 447, 570, 571  
Aggregate column (LINQ data source), 608, 609  
AJAX, 805-837  
    architecture, 808, 809  
    ASP.NET architecture, 810, 811  
    extension controls, 202, 203  
    server controls, 810, 811, 814, 815  
Alias, 608, 609  
Align attribute (Td element), 197  
Allow element (Authorization element), 674, 675  
AllowAnonymous attribute (profile property), 688, 689, 702, 703  
AllowCustomSqlDatabase attribute (sessionState element), 282, 283  
AllowPaging attribute  
    DetailsView control, 469, 470  
    GridView control, 436, 437  
AllowReturn property (WizardStep control), 738, 739  
AllowSorting attribute (GridView control), 434, 435  
AlternateText attribute  
    image button, 210, 211  
    image control, 236, 237  
AlternatingItemStyle element (DataList control), 415  
AlternatingItemTemplate element  
    DataList control, 412, 413  
    DetailsView control, 483  
    GridView control, 459  
    ListView control, 507, 509, 512  
AlternatingRowStyle element  
    DetailsView control, 469  
    GridView control, 433  
Anchor (A) element, 174, 175  
Anonymous identification (profiles), 688, 689, 702, 703, 705  
Anonymous type, 598, 599  
Anonymous user (LoginView control), 666, 667  
AnonymousId property (ProfileMigrateEventArgs class), 704, 705  
AnonymousIdentification element (web.config file), 688, 689, 702, 703

- AnonymousIdentificationModule class, 704, 705
- Apache HTTP Server, 6, 927
- App\_Code folder, 20, 21, 26, 27, 78, 79, 80, 81
  - data access class, 546
  - web service, 930, 931
- App\_Data folder, 78, 79
- App\_Themes folder, 78, 79, 344, 345
- App\_WebReferences folder, 938, 839
- AppearanceEditorPart class, 801
- AppearanceEditorPart control, 794
- Application, 284, 285
- Application events, 288, 289
- Application execution (controlling), 144, 145
- Application mappings, 10, 11
- Application object, 284, 285
- Application path (storing in web.config file), 630, 631
- Application property
  - HttpContext class, 286, 287
  - page, 286, 287, 289
- Application server, 10, 11
- Application state, 12, 13, 284-289
  - common uses, 284, 285
- Application state object, 12, 13, 284-287
- Application\_End event, 288, 289
- Application\_Error procedure, 756, 757, 758, 759
- Application\_Start event, 288, 289
- Apply Styles window, 190, 191
- AppSettings property (ConfigurationManager class), 630, 631
- AppSettings section (web.config file), 630, 631
- Asp tag, 22, 50, 51
- ASP.NET AJAX, 810-827
  - architecture, 810, 811
  - server controls, 810, 811, 814, 815
- ASP.NET AJAX Control Toolkit, 810, 811, 816, 817
- ASP.NET Development Server, 18, 19, 66, 67
- ASP.NET runtime, 26, 27
- ASP.NET Server Control project, 886, 887, 891, 898, 899
- ASP.NET Server Control template, 885, 898, 899
- ASP.NET Web Service template, 929
- aspnet\_compiler command, 846, 847, 852, 853
- AspNetDb.mdf database, 654, 655
  - profile provider, 690, 691
  - profiles, 686
  - web parts, 778, 779
- AspNetSqlMembershipProvider, 654
- AspNetSqlProfileProvider, 690, 691
- AspNetSqlProvider, 654, 655
- AspNetSqlRoleProvider, 654
- AspNetWindowsTokenRoleProvider, 654
- Aspx code, 20, 50, 51
- Assembly, 26, 27
- AssociatedControlID attribute (label), 208, 209
- AssociatedUpdatePanelID attribute
  - (UpdateProgress control), 826, 827
- Association (entity classes), 596, 597
- Asynchronous JavaScript and XML, *see* AJAX
- Asynchronous postback, 810, 811, 822, 823
- AsyncPostBackTimeout attribute (ScriptManager control), 818, 819
- Attachment (email), 752, 753
- Attachment class, 752, 753
- Attachments property (MailMessage class), 749, 752, 753
- Attribute, 22
  - data access class, 564, 565
  - HTML element, 162, 163
  - modifying in Source view, 165
  - server control, 50, 51
- Authenticated user
  - LoginView control, 666, 667
  - profiles, 688, 689, 692-701
- Authentication, 621, 640, 641
  - application, 668-675
  - web parts, 778, 779
- Authentication element (web.config file), 674, 675
- Authentication ticket, 642, 643
  - FormsAuthentication class, 680
- Authorization, 640, 641
- Authorization element (web.config file), 674, 675
- Auto List Members feature, 60
- AutoEventWireup attribute
  - Control directive, 865
  - Page directive, 170, 171
- AutoGenerateColumns attribute (GridView control), 428, 429

AutoGenerateDeleteButton attribute (DetailsView control), 475

AutoGenerateEditButton attribute (DetailsView control), 475

AutoGenerateInsertButton attribute (DetailsView control), 475

AutoGenerateRows attribute (DetailsView control), 468, 469

AutoHide button, 35

AutoPage attribute (LinqDataSource control), 599, 600

AutoPostBack property

- drop-down list, 20, 21, 22
- web server control, 48, 49, 62, 63

Autos window, 142, 146, 147

AutoSort attribute (LinqDataSource control), 599, 600

## B

---

B element, 173

Back-button problem, 766-771

BannerBitmap property (User Interface Editor), 854

Base64 format, 752, 753

Bcc property (MailMessage class), 748, 749

BehaviorEditorPart class, 801

BehaviorEditorPart control, 794

Bin folder, 78, 79

- web control library, 900, 901

Bind method, 418, 419

- FormView control, 494, 495
- GridView template field, 458
- ListView control, 534, 535

Bindable attribute (Property statement), 905

Binding (for HTTPS protocol), 628, 629

Binding expression (FormView control), 492, 494, 495, 496, 497

Body element, 168, 169

Body property (MailMessage class), 748, 749, 755

Body tag, 22

Border attribute (Table element), 196, 197

BorderColor attribute (calendar control), 242, 243

BorderStyle attribute (calendar control), 242, 243

Bottom attribute (RectangleHotSpot element), 240

BoundField element

- DetailsView control, 466, 467, 468, 469
- GridView control, 428, 432, 433

Br element, 42, 43, 172, 173

Bread crumbs, 336

Break All command, 144, 145

Break mode, 136-139, 142, 143

Breakpoint, 138, 139

Breakpoints window, 138, 139

Browsable attribute (Property statement), 905

Browse display mode (web parts), 790, 791

Browse location, 130

- FTP web site, 130

Browse window, 130, 131

Browser (adding), 130, 131

Browser page caching (disabling), 768, 769

Bulleted list, 232, 233

Bulleted list control, 205, 232, 233, 417

BulletImageUrl attribute (bullet list), 233

BulletStyle attribute (bulleted list), 232, 233

Business class, 20, 21

- object data source, 576, 577, 578

Business object, 550

- using with object data sources, 576, 577

Business object class, 546

Button control, 40, 41, 205, 210, 211

ButtonCount attribute (numeric pager), 519

ButtonField element

- DetailsView control, 469
- GridView control, 433

ButtonType attribute

- CommandField element (GridView control), 445
- next/previous pager, 519
- numeric pager, 519

## C

---

CacheDuration attribute (SqlDataSource control), 424, 425

CacheExpiration attribute (SqlDataSource control), 425

CacheKeyDependency attribute (SqlDataSource control), 425

Caching data, 424, 425

Calculated column, 374, 375

Calendar control, 205, 242, 243

Cancel button (Wizard control), 734, 735

Cancel property (e argument), 446, 447, 478

CancelButtonClick event (Wizard control), 734, 735, 738, 739

- CancelButtonStyle element (Wizard control), 741
- CancelDestinationPageUrl attribute
  - (ChangePassword control), 664, 665
- CancelImage attribute (CommandField element), 445
- CancelText attribute (CommandField element), 445
- CaptionedBox custom server control, 908-913
- Cart Profile application, 706-715
- CartItem class, 104, 105
- Cascading style sheets (CSS), 176, 342, 344, 345, 348, 349
  - with AJAX, 808, 809
- Catalog display mode, 792, 793
- CatalogPart control, 792, 793
- CatalogZone class, 801
- CatalogZone control, 792, 793
  - formatting, 798
- Category attribute
  - Property statement, 905
  - user control property, 868, 869, 871
- Category class (business object version, Category Maintenance application), 580, 581
- Category Maintenance application
  - business objects with ObjectDataSource control version, 578-583
  - Grid View version, 450-457
  - GridView with templates version, 460-463
  - ListView version, 536-543
  - ObjectDataSource control version, 566-575
- CategoryDB class, 572, 573
  - business object version (Category Maintenance application), 580, 582-583
- CausesValidation attribute
  - button, 211, 261
  - CommandField element (GridView control), 444, 445
- CausesValidation property
  - button, 56, 57, 58
  - web server control, 48, 49
- Cc property (MailMessage class), 748, 749
- Cellpadding attribute (Table element), 196, 197
- Cells (table), 44, 45, 194, 195
- Cellspacing attribute (Table element), 196, 197
- Certification authority (CA), 622, 623
- Chained root certificate, 622, 623
- ChangePassword control, 664, 665
  - compatibility issues with AJAX, 822, 823
- ChangePassword method (MembershipUser class), 678, 679
- ChangePasswordQuestionAndAnswer method (MembershipUser class), 679
- Character class (regular expression), 264, 265
- Check box control, 205, 218, 219
- Check box list control, 205, 230, 231
  - binding, 417
- Check constraint, 370, 371
- CheckBoxField element
  - DetailsView control, 469
  - GridView control, 433
- Checked attribute (check box and radio button), 218, 219
- Checked property (check box and radio button), 220, 221
- CheckedChanged event, 207
  - radio button and check box, 62, 63, 220, 221
- Checkout application
  - MultiView control version, 718, 719
  - Wizard control version, 730, 731
- Child control, 888, 889
- Child element, 168, 169
- Child elements (DetailsView control), 468, 469
- Child master page, 316, 317
- ChildrenAsTriggers attribute (UpdatePanel control), 822, 823
- Chrome, 796, 797
- CircleHotSpot element, 241
- Class, 16, 17
  - adding, 80, 81
  - style sheet, 182, 183
- Class attribute (HTML element), 180, 181, 182, 183, 348, 349
- Class attributes (custom server control), 904, 905
- Class library, 80, 81
- Class statement, 24
  - custom server control, 890, 891
  - designer attributes, 905
- Class template, 80, 81
- Classes (ADO.NET 3.5), 386-389

## Clear method

- ControlCollection class, 914, 915
- HttpApplicationState class, 287
- HttpCookieCollection class, 293
- HttpSessionState class, 103
- ListItemCollection class, 227
- StateBag class, 275

ClearError method (HttpServerUtility class), 758, 759

Click event, 207

- button, 62, 63, 210, 211

Client, 6, 7

Client certificate, 621

Client/server application, 6, 7

Client-side script, 57

Client-side validation, 56, 250

Close method (SqlConnection class), 387, 389

CLR, 16, 17

Code (adding to a form), 60-63

Code Editor, 34, 35, 60, 61

Code-behind file, 20, 21

CodeFile attribute

- Control directive, 864, 865
- Master page directive, 305
- Page directive, 22, 170, 171

Colors, 197

Colspan attribute (Td element), 196, 197

Column

- database table, 366, 367
- HTML table, 44, 45, 194, 195

Column Name property (database table), 370, 371

Columns attribute (text box), 216, 217

Columns element (GridView control), 428, 432, 433

Command, 380, 381, 384, 385, 386, 387

- executing directly, 384, 385

Command buttons

- DetailsView control, 475, 476, 477
- FormView control, 494

Command event, 207

- button, 210, 211, 214, 215

Command fields (GridView control), 444, 445

CommandArgument attribute

- button, 211, 514, 515
- MultiView control, 724, 725, 728, 729

CommandArgument property

- (CommandEventArgs class), 214, 215

CommandEventArgs class, 214, 215

CommandField element

- DetailsView control, 469, 476, 477
- GridView control, 428, 433, 444, 445

CommandName attribute

- button, 211, 514, 515
- button in a ListView control, 532, 533, 534, 535
- MultiView control, 720, 721, 724, 725, 728, 729

CommandName property (CommandEventArgs class), 214, 215

CommandRowStyle element (DetailsView control), 469

CommandText property (SqlCommand class), 386, 387

CommandType property (SqlCommand class), 386, 387

Comment

- HTML, 162, 163
- skin, 351

Common Language Runtime (CLR), 16, 17

Common Type System, 16, 17

Compare validator, 247, 254, 255

Compiling an application, 26, 27

Completion step (Wizard control), 736, 737

Component Designer window, 930, 931

Composite control, 888, 889, 914-923

Composite primary key, 366, 367

CompositeControl class, 884, 888, 889, 914, 915

Concurrency, 134, 382, 383

Concurrency control, 382, 383

Concurrency error, 134, 135

- DetailsView control, 478, 479

- GridView control, 447

- ObjectDataSource control, 570

Concurrency exception, 382, 383

Configure Data Source wizard, *see also Data Source Configuration Wizard*

- configuring an Access data source, 94, 95
- creating an Access data source, 92, 93

Configuring ASP.NET applications

- IIS Management Console (Windows Vista), 844, 845

- IIS Management Console (Windows XP), 842, 843

- Web Site Administration Tool, 840, 841

ConflictDetection attribute (ObjectDataSource control), 548, 549, 576

- Connection, 380, 381, 384, 385, 386, 387
  - defining, 396, 397
  - secure, 618, 619, 630- 633
- Connection property (SqlCommand class), 386, 387
- Connection string, 386
  - saving in web.config file, 398, 399
- ConnectionString attribute (SqlDataSource control), 395, 398, 399
- ConnectionString property (SqlConnection class), 386, 387
- ConnectionStrings element (web.config file), 398
- ConnectionsZone class, 801
- Content (HTML element), 162, 163
- Content element (content page), 310, 311
- Content page, 300, 301, 310-313
- Content placeholder, 300, 301, 302, 303
- ContentLength property (HttpPostedFile class), 239
- ContentPlaceHolder control, 302, 303, 304, 305
- ContextTypeName attribute (LinqDataSource control), 598, 599
- ContinueDestinationPageUrl attribute (ChangePassword control), 664, 665
- Control
  - accessing from content page, 320, 321
  - adding to a view, 722, 723
  - exposing from a master page, 318, 319
- Control declaration (user control), 876, 877
- Control directive (user control), 864, 865
- Control events, 62, 63
  - handling, 206, 207
  - master and content pages, 306, 309
- Control parameter, 404, 405
- ControlID attribute (ControlParameter element), 405
- ControlParameter element
  - ObjectDataSource control, 560, 561
  - SqlDataSource control, 404, 405
- Controls
  - AJAX, 814, 815
  - ASP.NET AJAX Control Toolkit, 816, 817
  - binding in a template, 418, 419
  - used as web parts, 780, 781
- Controls property (CompositeControl class), 914, 915
- ControlToCompare property (compare validator), 254, 255
- ControlToValidate property (validator), 58, 59, 248, 249
- ConvertEmptyStringToNull property (GridView field), 430, 431
- Cookie-based session tracking, 281, 282
- Cookieless attribute
  - anonymousIdentification element, 702, 703
  - sessionState element, 282, 283
- Cookieless session tracking, 281, 282
- CookieName attribute (anonymousIdentification element), 702, 703
- CookieParameter element, 405
- Cookies, 100, 101, 290-295
  - anonymous identification, 702, 703
  - authentication ticket, 642, 643
  - enabling or disabling, 294, 295
  - FormsAuthentication class, 680
- Cookies property
  - HttpCookieCollection class, 293
  - HttpRequest class, 292, 293
  - HttpResponse class, 292, 293
  - HttpSessionState class, 103
  - ListItemCollection class, 226, 227
  - SelectedDates collection, 242, 243
  - StateBag class, 275
- CookieTimeout attribute (anonymousIdentification element), 702, 703
- Coordinates attribute (PolygonHotSpot element), 240
- Copy Web Site command, 846, 847, 848, 849
- Count property (HttpApplicationState class), 287
- CreateChildControls method, 914, 915
- CreateRole method (Roles class), 683
- CreateUser method (Membership class), 677
- CreateUserWizard control, 660, 661
  - compatibility issues with AJAX, 822, 823
- CreationDate property (MembershipUser class), 679
- Credit card validation, 268, 269
- Cross-page posting, 88, 89
- CSS, *see Cascading style sheets*
- CSS Outline window, 188, 189
- CSS Properties window, 192, 193

CssClass attribute (server control), 348, 349  
 Current property (HttpContext class), 102, 103, 155, 276, 277, 286, 287  
 Custom Actions Editor (web setup project), 854  
 Custom type (profile property), 694, 695, 700, 701  
 Custom error handling, 756-765  
 Custom error page, 756, 757  
     code, 762, 763  
 Custom membership provider, 654  
 Custom mode (session state), 280, 281  
 Custom profile provider, 690, 691  
 Custom server controls, 883-923  
     compared to user controls, 886, 887  
     starting code, 890, 891  
 Custom validator, 247, 266, 267  
 Custom WebPart control, 780, 781, 802, 803  
 CustomErrors element (web.config file), 756, 757, 764, 765  
 Customization theme, 360, 361  
 CustomProvider attribute (sessionState element), 283

## D

---

Data access class, 546, 547, 551  
     attributes, 564, 565  
     creating, 558-565  
     for paging, 586, 587  
 Data access methods (that use business objects), 576, 577  
 Data adapter, 380, 381, 388, 389  
 Data component, 550  
 Data controls, 202, 203  
 Data group (Toolbox), 92, 93, 395, 414, 415, 429, 493  
 Data list, 410, 411  
 Data object, 550  
 Data object class, 546  
 Data provider, 654, 655  
 Data reader, 384, 385, 388, 389  
     select method, 560, 561  
 Data source, 92  
     updatable, 422, 423  
 Data Source Configuration Wizard  
     binding a drop-down list, 96, 97  
     binding a list control, 416, 417  
     LinqDataSource control, 600, 601, 608, 609

Data Source Configuration Wizard (continued)  
     ObjectDataSource control, 550, 551  
     SiteMapDataSource control, 332, 333  
     SqlDataSource control, 394, 395  
 Data source mode, 424, 425  
 Data table, 380, 381  
 Data tip, 142, 143  
 Data Type property (database table), 370, 371  
 Data types  
     profile properties, 694, 695  
     SQL Server, 371  
 Database exception  
     DetailsView control, 478, 479  
     ObjectDataSource control, 570  
 Database layer, 546, 547  
 Database management system, 6, 7  
 DataBind method, 478, 479  
     drop-down list, 24  
 DataBinder class, 418  
 DataBound event (DetailsView control), 479  
 DataContext class, 592, 594  
     selecting, 600, 601  
 DataField property (GridView field), 430, 431  
 DataFormatString property (GridView field), 430, 431, 434  
 DataKeyNames attribute  
     DetailsView control, 468, 469  
     GridView control, 429  
     ListView control, 507  
 DataList control, 410-415  
 DataObject attribute, 556, 565  
 DataObjectMethod attribute, 556, 565  
 DataObjectTypeName attribute (ObjectDataSource control), 548, 549, 577, 578  
 DataPager control, 508, 509, 516-519  
 DataRowView class, 98, 99  
 Dataset, 380, 381  
     select method, 560, 561  
 DataSourceID attribute  
     DataList control, 411  
     DetailsView control, 466, 467, 469  
     GridView control, 429  
     list control, 416, 417  
     ListView control, 507  
     Menu control, 335  
     TreeView control, 330, 331

- DataSourceMode attribute (SqlDataSource control), 424, 425, 514, 515
- DataTable (select method), 560, 561
- DataTextField attribute (list control), 416, 417
- DataTextField property (drop-down list), 96, 97
- DataTextFormatString attribute (list control), 417
- DataValueField attribute (list control), 416, 417
- DataValueField property (drop-down list), 96, 97
- DataGridView class, 98, 99
- DateDDL custom server control, 916-923
- DaysUntil custom server control, 894-897
- DaysUntil user control, 868-871
- DaysUntil web service, 932, 933
- DaysUntilHalloween user control, 867
- DBMS, 6, 7
- Dd element, 831, 832
- Deactivate event (View control), 728, 729
- Debug menu, 144, 145
- Debug toolbar, 144, 145
- Debug version, 856, 857
- Debugger, 138-149
- DeclarativeCatalogPart class, 801
- DeclarativeCatalogPart control, 792, 793
- Default browser, 128, 129
- Default button, 208, 209
- Default group, 260, 261
- Default page
  - setting under Windows Vista, 966, 967
  - setting under Windows XP, 960, 961
- Default skin, 350, 351
- Default value, 370, 371
  - profile property, 698, 699
- DefaultButton attribute (form), 208, 209
- DefaultDocument property (File System Editor), 854
- DefaultFocus attribute (form), 208, 209
- DefaultMode attribute (DetailsView control), 469
- DefaultProperty attribute (Class statement), 904, 905
- DefaultRedirect attribute (customErrors element), 764, 765
- DefaultValue attribute
  - profile property, 698, 699
  - Property statement, 905
- DefaultValue property (Parameter class), 449
- Delete method
  - data access class, 558, 559, 562, 563
  - data access class with business objects, 576, 577
  - SqlDataSource control, 444
- Delete statement
  - SQL, 95, 378, 379
  - SqlDataSource control, 400
- DeleteCommand attribute (SqlDataSource control), 422, 423
- DeleteCommand property (SqlDataAdapter class), 388, 389
- DeleteImage attribute (CommandField element), 445
- DeleteMethod attribute (ObjectDataSource control), 548, 549, 558
- DeleteParameters element (SqlDataSource control), 422, 423
- DeleteRole method (Roles class), 683
- DeleteText attribute (CommandField element), 445
- DeleteUser method (Membership class), 677
- Deny element (Authorization element), 674, 675
- Deploying ASP.NET applications, 846, 847
- Description attribute
  - Property statement, 904, 905
  - siteMapNode element, 327
- Design display mode (web parts), 790, 791
- Design view, 34, 40-49
- Designer attributes
  - custom server control, 890, 891, 904, 905
  - user control property, 868, 869, 871
- DesignOnly attribute (Property statement), 905
- DetailsView control, 466-491
  - adding command field, 476, 477
  - compared to FormView control, 492, 493
  - compatibility issues with AJAX, 822, 823
  - updating, 474-481
- Development server, 18, 19, 66, 67
  - limitations, 132, 133
- DHTML, 52, 56, 250, 251
  - with AJAX, 808, 809
- Diagram pane (Query Builder), 406, 407
- Digital secure certificate, 620, 621
- Directive block, 170
- Directory structure (Authentication application), 672, 673

disco file, 938, 939  
 discomap file, 938, 939  
 Disconnected data architecture, 380, 381  
   disadvantages, 382, 383  
 Display property (validator), 58, 59, 248, 249, 258, 259  
 DisplayAfter attribute (UpdateProgress control), 826, 827  
 DisplayCancelButton property (Wizard control), 734, 735, 738, 739  
 DisplayMode attribute (bulleted list), 232, 233  
 DisplayMode property  
   validation summary control, 258, 259  
   WebPartManager class, 790, 791  
 DisplaySideBar property (Wizard control), 738, 739  
 Distributed web application, 926  
 Div element, 168, 169  
 Div tag, 22, 54  
 Dl element, 830, 831  
 dll file (web control library), 900  
 DOCTYPE declaration, 22, 168, 169, 170, 171  
 Document Object Model, *see DOM*  
 DOM  
   with AJAX, 808, 809  
   with ASP.NET AJAX, 810, 811  
 Domain name, 8, 9  
 DOS XCopy command, 846, 847  
 Downloaded applications (running), 954, 955  
 Drop-down list control, 20, 40, 41, 205, 222, 223  
   binding, 96, 97, 417  
 Dt element, 830, 831, 832  
 Dynamic HTML, *see DHTML*  
 Dynamic menu, 334  
 Dynamic pseudo-class, 182, 183  
 Dynamic web page, 10, 11  
 DynamicLayout attribute (UpdateProgress control), 826, 827

## E

---

e argument

  Click event, 210, 211  
   Command event, 214, 215  
   image button, 212, 213  
   RaiseEvent statement, 906, 907

Edit and Continue feature, 142  
 Edit display mode, 794, 795, 797  
 Edit mode  
   DetailsView control, 466, 467  
   FormView control, 497  
   GridView control, 444  
   ListView control, 532, 533  
 EditImage attribute (CommandField element), 445  
 EditItemTemplate element  
   DetailsView control, 482, 483  
   FormView control, 492, 496, 497  
   GridView control, 458, 459  
   ListView control, 507, 508, 509, 532, 534, 535  
 EditorPart control, 794, 797  
 EditorZone class, 801  
 EditorZone control, 794, 797  
   formatting, 798  
 EditRowStyle element  
   DetailsView control, 469  
   GridView control, 433, 444  
 EditText attribute (CommandField element), 444, 445  
 Element-based style, 180  
 Email, 744-755  
 Email message  
   creating, 748, 749  
   sending, 750, 751  
 Email property (MembershipUser class), 678, 679  
 EmptyDataRowStyle element  
   DetailsView control, 469  
   GridView control, 433  
 EmptyDataTemplate element  
   DetailsView control, 469  
   FormView control, 492  
   ListView control, 507  
 EmptyItemTemplate element (ListView control), 507  
 EnableCaching attribute  
   ObjectDataSource control, 560  
   SqlDataSource control, 424, 425  
 EnableClientScript property (validator), 248, 249, 250, 251  
 Enabled attribute  
   AnonymousIdentification element, 688, 689, 702, 703  
   Timer control, 824, 825

- Enabled property
    - binding, 418, 419
    - validator, 248, 249
    - web server control, 49
  - EnableDelete attribute (LinqDataSource control), 598, 599, 606, 607
  - EnableInsert attribute (LinqDataSource control), 598, 599, 606, 607
  - EnablePageMethods attribute (ScriptManager control), 819
  - EnablePaging attribute (ObjectDataSource control), 584, 585
  - EnableScriptGlobalization (ScriptManager control), 819
  - EnableScriptLocalization (ScriptManager control), 819
  - EnableTheming property (server control), 358, 359
  - EnableUpdate attribute (LinqDataSource control), 598, 599, 606, 607
  - EnableViewState property
    - control, 48, 49, 273
    - page, 273
  - End tag, 162, 163
  - Ending an application, 129
  - Entity class, 595, 596, 597
  - Error, 66, 67
  - Error Correction Options window, 66, 67
  - Error element (custom error), 764, 765
  - Error handling (custom), 756-765
  - Error List window, 66, 67
  - ErrorMessage property (validator), 56, 58, 59, 248, 249, 258, 259
  - Escape character (regular expression), 264, 265
  - Escaped identifier, 932
  - Eval method, 418, 419
    - FormView control, 494, 495
    - Listview control, 512, 513, 534, 535
  - Event attribute, 206, 207
  - Event handler, 60, 206, 207
  - Event procedure, 60, 61
  - Event statement, 906, 907
  - Events
    - application, 288, 289
    - control, 62, 63
    - custom server control, 906, 907
    - DetailsView control, 478, 479
    - GridView control, 446, 447
  - Events (continued)
    - Listview control, 534
    - MultiView control, 728, 729
    - page, 62, 63
    - View control, 728, 729
  - Exception, 136, 137
  - Exception Assistant, 136, 137
  - Exception object
    - custom error handling, 757, 758, 759
    - saving in session state, 760, 761
  - Exception property (e argument), 446, 447, 478, 479, 570
  - ExceptionHandled property (e argument), 446, 447, 479, 570
  - ExecuteNonQuery method (SqlCommand class), 386, 387, 388
  - ExecuteReader method (SqlCommand class), 386, 387
  - ExecuteScalar method (SqlCommand class), 386, 387
  - Execution (controlling), 144, 145
  - ExpandDepth attribute (TreeView control), 330, 331
  - Expires property (HttpCookie class), 290, 291, 292, 293
  - Exposing members of a user control, 868, 869
  - Extensible Markup Language, *see XML*
  - External style sheet, 186, 187
- ## F
- 
- FailureText attribute (Login control), 657
  - Field (database), 366, 367
  - FieldCount property (SqlDataReader class), 389
  - Fields (GridView control), 430, 431
  - Fields element
    - DataPager control, 516, 517
    - DetailsView control, 466, 467, 468, 469
  - File (adding to a web site), 36, 37
  - File System Editor (web setup project), 854
  - File Transfer Protocol (FTP), 18, 19
  - File Types Editor (web setup project), 854
  - File-system web site, 32, 66
    - testing with IIS, 132, 133
  - FileName property (file upload control), 238, 239
  - FileUpload control, 205, 238, 239
    - compatibility issues with AJAX, 822, 823

Fill method (SqlDataAdapter class), 388, 389  
 Filter expression, 98  
 FindByText method (ListItemCollection class), 227  
 FindByValue method (ListItemCollection class), 227  
 FindControl method (Page class), 88, 89  
 FinishButtonClick event (Wizard control), 736, 737, 738, 739  
 FinishCompleteButtonStyle element (Wizard control), 741  
 FinishNavigationTemplate element (Wizard control), 741  
 FinishPreviousButtonStyle element (Wizard control), 741  
 FirstBulletNumber (bullet list), 233  
 FirstPageImageUrl attribute (PagerSettings element), 438, 439  
 FirstPageText attribute (PagerSettings element), 438, 439  
 Flow layout, 42, 43  
 Focus, 208, 209  
 Focus class, 182, 183  
 Focus method (web server control), 208, 209  
 Folders
 

- adding to a web site, 36, 37
- ASP.NET, 78, 79

 FooterStyle element
 

- DataList control, 415
- DetailsView control, 469
- GridView control, 433

 FooterTemplate element
 

- DataList control, 413
- DetailsView control, 469
- GridView control, 459

 ForeColor attribute (NextPrevStyle element), 242  
 ForeColor property (validator), 249  
 Foreign key, 368, 369  
 Foreign key table, 369  
 Form element, 168, 169  
 Form tag, 22, 50  
 FormatString attribute (LoginName control), 658, 659  
 FormParameter element, 405  
 Forms-based authentication, 640-643
 

- enabling, 646, 647

FormsAuthentication class, 680, 681  
 FormView control, 492-503
 

- compared to DetailsView control, 492, 493

 FPSE, 14, 15, 18, 19, 125  
 From attribute (MailDefinition element), 660, 661  
 From clause (Select statement), 374, 375  
 From keyword (Visual Basic), 590, 591  
 From property (MailMessage class), 748, 749  
 FrontPage Server Extensions (FPSE), 14, 15, 18, 19, 125  
 FTP, 18, 19  
 FTP Server, 18, 19, 126, 127  
 FTP web site
 

- creating, 126, 127
- running, 130

 Function, 60, 61  
 Function procedure, 60, 61  
 Future Value form
 

- aspx code, 54, 55
- design, 40, 41
- HTML, 69
- validation controls, 57
- Visual Basic code, 64, 65

## G

---

General procedure, 60  
 Generics feature (Visual Basic), 560, 561  
 GenericWebPart class, 780, 781, 782, 785, 801  
 GetAllRoles method (Roles class), 683  
 GetAllUsers method (Membership class), 677  
 GetLastError method (Server class), 758, 759  
 GetPassword method (MembershipUser class), 679  
 GetProfile method (ProfileCommon class), 704, 705  
 GetRolesForUser method (Roles class), 683  
 GetUser method (Membership class), 677  
 GetUserNameByEmail method (Membership class), 677  
 GetUsersInRole method (Roles class), 683  
 GIF (Graphic Interchange format) file, 236, 237  
 Global Application Class template, 289  
 Global.asax file, 285, 288, 289
 

- custom error handling, 756, 757
- Profile\_MigrateAnonymous event, 704, 705

 Grid pane (Query Builder), 406, 407

GridView control, 427-463  
 compatibility issues with AJAX, 822, 823  
 events, 446, 447  
 inserting a row, 448, 449  
 template fields, 458, 459  
 updating, 444-449

Group By keyword (Visual Basic), 591

Group element (profile properties), 696, 697

Group placeholder (ListView control), 526

GroupBy attribute (LinqDataSource control), 598, 599, 609

Grouping profile properties, 696, 697

GroupItemCount attribute (ListView control), 526, 527

GroupName attribute (radio button), 218, 219

GroupPlaceholderID attribute (ListView control), 526

GroupSeparatorTemplate element (ListView control), 507

GroupTemplate element (ListView control), 507, 526, 527

## H

---

H1 element, 172, 173

H2 element, 172, 173

H3 element, 172, 173

Halloween database, 372, 373  
 attaching to SQL Server Express, 952, 953  
 granting ASP.NET access, 952

Halloween Store application (SSL version), 634-637

Halloween Store master page, 301, 306, 307, 308

Handles clause, 62, 170, 171, 206, 207

HasFile property (file upload control), 238, 239

Head element, 168, 169

Head tag, 22, 50, 54

HeaderStyle element  
 DataList control, 414, 415  
 DetailsView control, 469  
 GridView control, 433  
 Wizard control, 741

HeaderTemplate element  
 DataList control, 412, 413  
 DetailsView control, 469, 483  
 GridView control, 459  
 Wizard control, 740, 741

HeaderText attribute  
 CatalogZone control, 792, 793  
 WebPartZone control, 784, 785

HeaderText property  
 GridView field, 430, 431  
 validation summary control, 258, 259

Height attribute (image control), 236, 237

Height property (web server control), 46, 47, 49

Help documentation, 234, 235

Help page (web service), 934, 935

Horizontal menu, 334, 335

Hot spot, 240, 241

HotSpotMode attribute (image map), 240, 241

Hover class, 182, 183

Href attribute  
 A element, 174, 175  
 Link element, 186, 187

HTML, 7, 8  
 reviewing, 68, 69

HTML controls, 202, 203  
 adding to form, 46

HTML document, 8, 9, 162, 163  
 coding, 168-175  
 structure, 168, 169

HTML Editor, 50, 164

HTML element, 162, 163, 168, 169  
 changing, 50, 51

HTML group (Toolbox), 46, 47

HTML image control (adding to a form), 46, 47

HTML message, 754, 755

HTML server control, 40, 41, 202, 203

Html tag, 22, 50, 51

HtmlTextWriter class, 902, 903

HtmlTextWriter object (custom server control), 890, 891, 892, 893

HTTP, 6, 7

HTTP errors, 764, 765

HTTP output stream, 154, 155

HTTP protocol, 618, 619, 630, 631

HTTP redirect message, 83, 86

HTTP request, 8, 9  
 AJAX, 808, 809

HTTP response, 8, 9, 100, 101

HttpApplication class, 284, 285

HttpApplicationState class, 284, 285

HttpCookie class, 290, 291

HttpCookieCollection class, 292, 293  
 HttpRequest class, 632, 633  
 HTTPS protocol, 618, 619, 630, 631, 632, 633  
 HttpSessionState class, 102, 103  
 HttpUnhandledException, 758, 759  
 Hyperlink control, 205, 236, 237  
     with query strings, 296, 297  
 HyperlinkField element  
     DetailsView control, 469  
     GridView control, 433  
 Hypertext Markup Language, *see HTML*  
 Hypertext Transfer Protocol (HTTP), 6, 7

---

**I**  
 I element, 173  
 ID attribute  
     content placeholder, 305  
     DataList control, 411  
     DataPager control, 519  
     DetailsView control, 469  
     GridView control, 429  
     LinqDataSource control, 599  
     ListView control, 507  
     Menu control, 335  
     ObjectDataSource control, 548, 549  
     SiteMapPath control, 337  
     SqlDataSource control, 395  
     TreeView control, 330, 331  
     user control, 874, 875  
 ID property (web server control), 48, 49  
 IDE, 34, 35  
 Identity column, 370, 371  
 Identity Increment property (column), 370  
 Identity property (column), 370  
 Identity Seed property (column), 370  
 IEnumerable interface, 591  
     select method, 560, 561  
 IEnumerable type, 98, 99  
 IEnumerable(Of T) interface, 590, 591  
 IIS, 6, 7  
     creating virtual directory under Windows Vista,  
         966, 967  
     creating virtual directory under Windows XP,  
         958, 959  
     forcing secure connection under Windows Vista,  
         970, 971

IIS (continued)  
     forcing secure connection under Windows XP,  
         962, 963  
     installing under Windows Vista, 946, 947  
     installing under Windows XP, 944, 945  
     setting default page under Windows Vista, 966,  
         967  
     setting default page under Windows XP, 960,  
         961  
 IIS 7.0 (working with certificates), 628, 629  
 IIS Certificate Wizard, 626, 627  
 Image button control, 205, 210, 211  
 Image control, 205, 236, 237  
     adding to a form, 46, 47  
 Image map, 240, 241  
 Image map control, 205, 240, 241  
 ImageAlign attribute (image control), 236, 237  
 ImageClickEventArgs class, 213  
 ImageField element  
     DetailsView control, 469  
     GridView control, 433  
 Images  
     in an email message, 754, 755  
     with themes, 344, 345, 354, 355  
 ImageUrl attribute  
     hyperlink control, 236, 237  
     image button control, 210, 211  
     image control, 236, 237  
     image map control, 241  
 Immediate window, 140, 141, 148, 149  
 ImportCatalogPart class, 801  
 ImportCatalogPart control, 793  
 Imports statement, 81  
 In-process mode (session state), 280, 281  
 INamingContainer interface, 914, 915  
 Index, 366, 367  
 Index property (e argument), 232  
 Indexer  
     DataRowView class, 99  
     DataView class, 99  
 Inherits attribute  
     Control directive, 864, 865  
     Master page directive, 305  
     Page directive, 22, 170, 171  
 Init event (page), 62, 63  
 InitialValue property (required field validator), 252,  
     253

- Inline styles, 176, 177
- Inner join, 376, 377
- InnerException property (Exception class), 758, 759
- Input element (HTML), 166, 167
- Insert method
  - data access class, 558, 559, 562, 563
  - data access class with business objects, 576, 577
  - ListItemCollection class, 227
  - SqlDataSource control, 448, 449
- Insert mode
  - DetailsView control, 466, 467, 474
  - FormView control, 497
- Insert statement
  - SQL, 95, 378, 379
  - SqlDataSource control, 400
- InsertCommand attribute (SqlDataSource control), 422, 423, 449
- InsertCommand property (SqlDataAdapter class), 388, 389
- InsertItemPosition attribute (ListView control), 506, 507, 509
- InsertItemTemplate element
  - DetailsView control, 482, 483
  - FormView control, 492, 496, 497
  - ListView control, 507, 508, 509, 534, 535
- InsertMethod attribute (ObjectDataSource control), 548, 549, 558
- InsertParameters element (SqlDataSource control), 422, 423
- InsertParameters property (SqlDataSource control), 449
- InsertRowStyle element (DetailsView control), 469
- Instance of a page, 26, 27
- Integrated Development Environment (IDE), 34, 35
- Intermediate Language (IL), 16, 17
- Internal style sheet, 180, 181
- Internal styles (content page), 314, 315
- Internal Web Browser, 130, 131
- Internet Explorer, 6, 7
- Internet Information Services, *see* IIS
- Interval attribute (Timer control), 824, 825
- Intranet, 6, 7
- Invoices By Date application (LINQ data source with groups), 610-613
- IPageableItemContainer interface, 518
- IQueryable(Of T) interface, 591
- IsApproved property (MembershipUser class), 678, 679
- IsBodyHtml property (MailMessage class), 749, 754, 755
- IsEnabled property (TraceContext class), 152, 153
- IsInAsyncPostBack attribute (ScriptManager control), 818, 819
- IsPostBack property
  - page, 24
  - UserControl class, 866, 867
  - view state, 273
- IsSecureConnection property (HttpRequest class), 632, 633
- IsUserInRole method (Roles class), 683
- IsValid property
  - page, 56, 57, 248, 250, 251
  - ServerValidateEventArgs class, 266, 267
  - validator, 56, 248, 249, 250
- Item placeholder (ListView control), 510, 511, 526
- Item property
  - HttpApplicationState class, 287
  - HttpCookieCollection class, 292, 293
  - HttpSessionState class, 102, 103
  - ListItemCollection class, 226, 227
  - SqlDataReader class, 389
  - StateBag class, 275
- ItemCommand event
  - DetailsView control, 479
  - ListView control, 533
- ItemCreated event (DetailsView control), 479
- ItemDeleted event
  - DetailsView control, 478, 479
  - ListView control, 534
- ItemDeleting event
  - DetailsView control, 478, 479
  - ListView control, 534
- ItemInserted event
  - DetailsView control, 479
  - ListView control, 534
- ItemInserting event
  - DetailsView control, 479
  - ListView control, 534
- ItemPlaceholderID attribute (ListView control), 511

## Items property

- list box and drop-down list, 224, 225, 226
- list control, 48, 49
- radio button list and check box list, 230, 231

ItemSeparatorTemplate element (ListView control), 507

## ItemStyle element

- DataList control, 415
- GridView control, 428, 432, 433

ItemStyle.Width property (GridView field), 430, 431

## ItemTemplate element

- DataList control, 412, 413
- DetailsView control, 482, 483
- FormView control, 492, 494, 495
- GridView control, 458, 459
- ListView control, 506, 507, 508, 509, 512, 513

## ItemUpdated event

- DetailsView control, 478, 479
- ListView control, 534

## ItemUpdating event

- DetailsView control, 478, 479
- ListView control, 534

ItemWrap attribute (Menu control), 335

**J**

JavaScript, 810, 811

- with AJAX, 808, 809

## JavaScript code

- loading with ScriptManager control, 818, 819
- loading with ScriptManagerProxy control, 820, 821

JavaScript Object Notation (JSON), 808, 809

Join, 376, 377

Join keyword (Visual Basic), 591

JPEG (Joint Photographic Experts Group) file, 236, 237

JSON, 808, 809

**K**

KeepInEditMode property (e argument), 446, 447, 479, 570

Keys property (StateBag class), 275

**L**

Label control, 40, 41, 205, 216, 217

LAN (local area network), 6, 7, 18, 19

## Language attribute

- Control directive, 865
- Master page directive, 305
- Page directive, 22, 170, 171

Language-Integrated Query, *see* LINQ

Last in wins, 382, 383

LastActivityDate property (MembershipUser class), 679

LastLoginDate property (MembershipUser class), 679

LastPageImageUrl attribute (PagerSettings element), 438, 439

LastPageText attribute (PagerSettings element), 438, 439

Launch Conditions Editor (web setup project), 854

LayoutEditorPart class, 801

LayoutEditorPart control, 794

LayoutOrientation attribute (WebPartZone control), 784

## LayoutTemplate element

- ListView control, 506, 507, 510, 511
- ListView control with grouping, 526, 527

Left attribute (RectangleHotSpot element), 240

Line break, 42, 43

Link, 174, 175

Link button control, 205, 210, 211

Link class, 182, 183

Link element, 186, 187

Linking table, 368

LINQ, 590, 591

- using with SQL Server database, 592, 593

LINQ data sources, 589-613

LINQ to Objects, 591, 592

LINQ to SQL, 592, 593

LinqDataSource control, 598-613

- configuring, 600, 601
- configuring for updates, 606, 607
- grouping data, 608-613

List box control, 205, 222-233

- binding, 416, 417

List item, 224, 225

ListControl class, 417

- ListItem Collection Editor, 228, 229
  - ListItem object, 224, 225, 227, 230, 231, 232, 233
  - ListItemCollection object, 225, 227
  - ListView control, 505-543
    - configuring, 508, 509
    - embedded in another ListView control, 610-613
  - ListView data
    - grouping, 526-531
    - updating, 532-535
  - Literal text, 43
    - adding to a controls collection, 914, 915
    - adding to a table, 44, 45
    - formatting, 172, 173, 178
  - Load event
    - page, 24, 62, 63
    - retrieving session state data, 278, 279
    - user controls, 866, 867
  - LoadScriptsBeforeUI attribute (ScriptManager control), 818, 819
  - Local IIS web site
    - creating, 122, 123
    - running in a browser, 134, 135
  - Localizable attribute (Property statement), 905
  - Locals window, 146, 147
  - Lock method (HttpApplicationState class), 287
  - Login control, 656, 657
    - compatibility issues with AJAX, 822, 823
  - Login controls, 202, 203, 656-667
  - Login group (Toolbox), 656
  - Login page, 656, 657
  - LoginName control, 658, 659
  - LoginStatus control, 658, 659
  - LoginText attribute (LoginStatus control), 658, 659
  - LoginView control, 666, 667
  - LogoutText attribute (LoginStatus control), 658, 659
- M**
- 
- Machine.config file
    - membership provider, 654, 655
    - profile provider, 690
  - Mail client, 744, 745
  - Mail server, 744, 745
  - MailAddress class, 748, 749
  - MailDefinition element (PasswordRecovery control), 660, 661
  - MailMessage class, 748, 749
  - Manage Styles window, 190
  - Many-to-many relationship, 368, 369
  - Master directive, 304, 305
  - Master page
    - aspx code, 304, 305
    - code-behind file, 306, 309
    - specifying in Page\_PreInit procedure, 311, 312
    - specifying in web.config file, 311, 312
  - Master Page template, 302, 303
  - Master pages, 299-315, 318-321
    - nesting, 316, 317
  - Master property (content page), 320, 321
  - Master/Detail page, 472, 473
  - MasterPageFile attribute
    - page, 312
    - Page directive, 310, 311
    - Pages element, 312
  - MasterType directive (content page), 320, 321
  - MaxDepthDataBind attribute (TreeView control), 330, 331
  - Maximum property (range validator), 58, 59, 256, 257
  - MaximumDynamicDisplay attribute (Menu control), 334, 335
  - MaximumRowsParameterName attribute (object data source control), 584, 585
  - MaxLength attribute (text box), 216, 217
  - Membership class, 676, 677
  - Membership element (machine.config file), 654
  - Membership provider, 654, 655
  - MembershipCreateUserException, 676
  - MembershipProvider class, 654
  - MembershipUser class, 676, 678, 679
  - Menu control, 324, 325, 334, 335
    - compatibility issues with AJAX, 822, 823
  - Message property (Exception class), 758, 759
  - Methods (data access class), 558, 559
  - Microsoft AJAX Library, 810, 811, 812, 813
  - Microsoft Certificate Services, 624, 625
  - Microsoft Intermediate Language (MSIL), 17
  - Microsoft Passport, 640, 641
  - Microsoft SharePoint, 778
  - Middle layer, 546, 547
  - Migrating data from anonymous to authenticated user, 704, 705

MIME (Multipurpose Internet Mail Extension), 744, 745

Minimum property (range validator), 58, 59, 256, 257

MinRequiredNonAlphanumericCharacters attribute (membership provider), 654, 655

MinRequiredPasswordLength attribute (membership provider), 654, 655

Mode attribute

- Authentication element, 674, 675
- customErrors element, 765
- PagerSettings element, 438, 439
- sessionState element, 282, 283

Mozilla Firefox, 6, 7, 14, 134, 135

MultiView control, 718-729

## N

---

Name attribute

- ControlParameter element, 404, 405
- Group element, 696, 697
- profile property, 688, 689, 692, 693

Name property (HttpCookie class), 291

Named skin, 350, 351

Namespace, 16, 17

Navigate views, 724, 725

NavigateUrl attribute

- hot spot, 240, 241
- hyperlink control, 236, 237

Navigation application, 338, 339

- web.sitemap file, 328, 329

Navigation controls, 202, 203, 324, 325

NavigationButtonStyle element (Wizard control), 741

NavigationStyle element (Wizard control), 740, 741

Nested master pages, 316, 317

Next/previous pager, 516, 517

NextButtonClick event (Wizard control), 739

NextPageImageUrl attribute (PagerSettings element), 438, 439

NextPageText attribute (PagerSettings element), 438, 439

NextPrevStyle element (calendar control), 242

NodeIndent attribute (TreeView control), 330, 331

NodeWrap attribute (TreeView control), 330, 331

Non-primary key, 366, 367

NullDisplayText property (GridView field), 430, 431

Nulls, 370, 371

- optimistic concurrency bug, 480, 481

Numbered list, 232, 233

Numeric pager, 516, 517

## O

---

O/R Designer, 594-597

Object data sources, 545-575

- and business objects, 576, 577

Object model, 592, 593, 594, 595

Object Relational Designer, 593, 594-597

ObjectDataSource control, 546, 547

- configuring, 550, 551
- paging, 584-587

OldValuesParameterFormatString attribute (ObjectDataSource control), 562, 563, 564, 576

One-to-many relationship, 368, 369

One-to-one relationship, 368, 369

Open method (SqlConnection class), 387

Opera, 6, 7, 14

Operator property (compare validator), 254, 255

Optimistic concurrency, 382, 383, 422, 423

- bug, 480, 481
- effect on parameters, 562, 563, 564
- GridView control, 446, 447
- LinqDataSource control, 606, 607
- with update method that uses business objects, 576, 577

Oracle, 6

Order By clause (Select statement), 374, 375

Order By keyword (Visual Basic), 590, 591

Order content page, 314, 315

Order form (Shopping Cart application), 20-25

OrderBy attribute (LinqDataSource control), 598, 599

OrderGroupsBy attribute (LinqDataSource control), 598, 599, 609

Orientation attribute (Menu control), 334, 335

## P

---

P element, 172, 173

Page, 40

- Page caching (browser), 768, 769
- Page class, 24
- Page directive, 22, 168, 169, 170, 171
  - content page, 310, 311
- Page events, 62, 63
  - master and content pages, 306, 309
- Page layout, 198, 199
- Page property (UserControl class), 866, 867
- Page\_Error procedure, 756-759
- PageButtonCount attribute (PagerSettings element), 438, 439
- PageCatalogPart class, 801
- PageCatalogPart control, 792, 793
- PagedControlID attribute (DataPager control), 518, 519
- PageIndexChanged event (DetailsView control), 479
- PagerSettings element
  - DetailsView control, 469, 470
  - GridView control, 437, 438, 439
- PagerStyle element
  - DetailsView control, 469, 470
  - GridView control, 433, 436, 437
- PagerTemplate element (DetailsView control), 469, 470
- Pages element (web.config file), 312, 346, 347
- PageSize attribute
  - DataPager control, 518, 519
  - GridView control, 439
- Paging
  - DetailsView control, 470, 471
  - GridView control, 436-439
  - ListView control, 508, 509, 516-519
  - object data source, 584-587
- Panel class, 780, 781
- Parameter class, 449
- Parameter sources, 408, 409
- Parameterless constructor (data access class), 558
- ParameterName property (SqlParameter class), 387
- Parameters, 387, 388
  - defining, 408, 409
  - for data access methods that use business objects, 576, 577
  - for update, delete, and insert methods, 562, 563
  - passing to select method, 560
- Parameters property (SqlCommand class), 387
- Parent element, 168, 169
- Parent master page, 316, 317
- ParentLevelsDisplayed attribute (SiteMapPath control), 337
- Part class, 780, 781
- PartChromeStyle element, 796
- Partial class, 24, 26, 27
- Partial keyword (Class statement), 24
- Passive mode (FTP), 126, 127
- Passport authentication, 640, 641
- PasswordQuestion property (MembershipUser class), 679
- PasswordRecovery control, 662, 663, 750
  - compatibility issues with AJAX, 822, 823
- PathDirection attribute (SiteMapPath control), 337
- PathSeparator attribute (SiteMapPath control), 337
- pdb file (web control library), 900
- Persistent cookies, 290, 291
  - authentication ticket, 642, 643
- Personalization feature, 686
- Personalization provider, 778, 779
- Placeholder (ListView control), 510, 511
- PolygonHotSpot element (image map), 240, 241
- POP (Post Office Protocol), 744, 745
- Portals, 774, 779
- Position attribute (PagerSettings element), 438, 439
- Postback, 10, 11
- PostBackUrl attribute
  - button, 22, 88, 89, 210, 211
  - query string, 296, 297
- PostBackUrl property (Continue button, CreateUserWizard control), 660, 661
- PostBackValue attribute (hot spot), 240, 241
- PostedFile property (file upload control), 239
- PostedFile.ContentLength property (file upload control), 238
- Precompiled deployment, 846, 847-853, 850
- PreInit event (page), 356, 357, 358, 359
- PreRender event
  - page, 62, 63
  - saving session state data, 278, 279
  - user control, 866, 867
- Presentation layer, 546, 547
- PreviousButtonClick event (Wizard control), 739
- PreviousPage property (Page class), 88, 89

PreviousPageImageUrl attribute (PagerSettings element), 438, 439  
 PreviousPageText attribute (PagerSettings element), 438, 439  
 Primary key, 366, 367  
     affect on parameters, 562, 563, 564  
 Primary key table, 369  
 Procedure, 60, 61  
 Product class, 104, 105  
 Product List application  
     AJAX-enabled version, 828-837  
     GridView control version, 440-443  
     LinqDataSource control version, 602-605  
     ListView control version, 520-525  
     ListView control with groups version, 528-531  
     ObjectDataSource control version, 552-557  
     SqlDataSource control version, 392, 393, 420, 421  
 Product Maintenance application, 484-491  
 ProductDB class, 556, 557  
 ProductDisplay user control, 878-881  
 Profile element (web.config file), 688, 689, 692, 693  
 Profile feature, 12, 13, 686  
 Profile properties  
     defining, 692, 693  
     grouping, 696, 697  
 Profile property (HttpContext class), 688, 689, 692, 693  
 Profile provider, 686, 687, 690, 691  
 Profile\_MigrateAnonymous event, 704, 705  
 ProfileCommon class, 686, 687, 690, 691  
 ProfileManager class, 704, 705  
 ProfileParameter element, 405  
 ProfileProvider class, 690  
 Profiles, 685-715  
     anonymous users, 702-705  
     authenticated users, 692-701  
     compared to session state, 686, 687  
 Project, 32  
 Properties (changing from Source view), 50, 51  
 Properties element (profile), 688, 689, 692, 693  
 Properties window, 34, 35, 46, 47  
 Property attributes (custom server control), 904, 905

Property names (for business class used with object data source), 577, 578  
 Property statement  
     custom server control, 890, 891  
     designer attributes, 905  
 PropertyGridEditorPart class, 801  
 PropertyGridEditorPart control, 794  
 PropertyName attribute  
     ControlParameter element, 405  
     SqlDataSource control, 395  
 Pseudo-class, 182, 183  
 Public attribute (Doctype declaration), 171  
 Publish Web Site command, 846, 847, 850, 851

## Q

---

Quantifier (regular expression), 264, 265  
 Query Builder, 406-409  
 Query expression, 590, 591  
 Query operators, 591  
 Query string, 296, 297, 404  
 Query variable, 590, 591  
 Querying a table, 374, 375  
 QueryString property (HttpRequest class), 296, 297  
 QueryStringParameter element, 404, 405

## R

---

Radio button control, 205, 218, 219  
 Radio button list control, 205, 230, 231  
     binding, 417  
 Radius attribute (CircleHotSpot element), 240  
 RaiseEvent statement, 906, 907  
 Range validator, 56, 58, 59, 247, 256, 257  
 Read method (SqlDataReader class), 389  
 Read-only properties (profiles), 698, 699  
 ReadOnly attribute  
     profile property, 698, 699  
     text box, 216, 217  
 ReadOnly mode  
     DetailsView control, 466, 467  
     FormView control, 495  
 ReadOnly property (GridView field), 430, 431  
 Record, 366, 367  
 RectangleHotSpot element, 241

- Redirect attribute (Error element), 765
- Redirect method
  - custom error handling, 760, 761
  - HttpResponse class, 24, 83, 86
  - query strings, 296, 297
  - secure connections, 630, 632
- RedirectFromLoginPage method (FormsAuthentication class), 680, 681
- Reference-type variable, 278, 279
- Reflection, 550, 558, 559, 562
- Refresh-button problem, 770
- Register a custom WebPart control, 802, 803
- Register directive
  - custom server control, 901
  - custom WebPart control, 802, 803
  - user control, 788, 789, 874, 875
- Registration Authority (RA), 622, 623
- Registry Editor (web setup project), 854
- Regular class, 182, 183
- Regular expression, 264, 265
- Regular expression validator, 247, 262, 263
- Rel attribute (Link element), 186, 187
- Relational database, 366, 367
- Relative URL, 90, 91
- Release version, 856, 857
- RememberMeSet attribute (Login control), 657
- RememberMeText attribute (Login control), 657
- Remote Debug Monitor, 128
- Remote IIS web site
  - creating, 124, 125
  - running in a browser, 134, 135
- Remove method
  - ControlCollection class, 915
  - HttpApplicationState class, 287
  - HttpCookieCollection class, 293
  - HttpSessionState class, 102, 103
  - ListItemCollection class, 227
  - StateBag class, 275
- RemoveAt method (ListItemCollection class), 227
- RemoveUserFromRole method (Roles class), 683
- Render method (WebControl class)
  - overriding, 892, 893
  - superclassed control, 908
- RenderBeginTag method (WebControl class), 892, 893
  - superclassed control, 908
- RenderContents method (WebControl class)
  - custom server control, 890, 891
  - custom WebPart control, 802, 803
  - overriding, 892, 893
- RenderCurrentNodeAsLink attribute (SiteMapPath control), 337
- Rendered control, 888-897
- RenderEndTag method (WebControl class), 892, 893
  - superclassed control, 908
- Rendering controls, 22, 166, 167
- RepeatColumns attribute (radio button list and check box list), 230, 231
- RepeatDirection attribute (radio button list and check box list), 230, 231
- Repeater control, 410
- RepeatLayout attribute (radio button list and check box list), 230, 231
- Request property
  - page, 292, 293, 297
  - UserControl class, 866, 867
- Required field validator, 56, 58, 59, 247, 252, 253
- ResetPassword method (MembershipUser class), 679
- Response property
  - HttpContext class, 155
  - page, 24, 83, 86, 155
  - UserControl class, 866, 867
- Response.AppendHeader method, 769
- Response.Cache.SetCacheability method, 769
- Response.Cache.SetExpires method, 769
- Response.Cache.SetNoStore method, 769
- Restart command, 145
- Result set, 374, 375
- Result table, 374, 375
- ReturnValue property (e argument), 570
- Rich internet application (RIA), 806, 807
- Right attribute (RectangleHotSpot element), 240
- Role provider, 654, 655
- RoleProvider class, 654
- Roles, 648, 649
- Roles class, 682, 683
- Root element, 168, 169
- Round trip, 10, 11
- Row
  - database table, 366, 367
  - HTML table, 44, 45, 194, 195
  - inserting in GridView control, 448, 449

Row property (text box), 217  
 RowCancelingEdit event (GridView control), 447  
 RowDataBound event (GridView control), 447  
 RowDeleted event (GridView control), 446, 447  
 RowDeleting event (GridView control), 446, 447  
 RowEditing event (GridView control), 447  
 RowFilter property (DataView class), 98, 99  
 Rows property (list box and drop-down list), 224, 225  
 Rowspan attribute (Td element), 196, 197  
 RowStyle element  
   DetailsView control, 469  
   GridView control, 433  
 RowUpdated event (GridView control), 447  
 RowUpdating event (GridView control), 446, 447  
 Run To Cursor command, 144, 145  
 Runat attribute  
   content placeholder, 305  
   DataList control, 411  
   DataPager control, 519  
   DetailsView control, 469  
   GridView control, 429  
   HTML element, 202  
   LayoutTemplate element (ListView control), 510, 511  
   LinqDataSource control, 599  
   ListView control, 507  
   Menu control, 335  
   ObjectDataSource control, 548, 549  
   SiteMapPath control, 337  
   SqlDataSource control, 395  
   user control, 874, 875  
   web server control, 22, 48, 49  
 Running an application, 26, 27, 66, 67, 129

## S

---

Sales Portal page, 774-777, 779  
 SaveAs method (file upload control), 238, 239  
 ScriptManager control, 814, 815, 818, 819  
 ScriptManagerProxy control, 814, 815, 820, 821  
 Secure connection, 618, 619, 630-633  
   forcing under Windows Vista, 970, 971  
   forcing under Windows XP, 962, 963  
   login page, 656  
 Secure property (HttpCookie class), 291  
 Security, 617-627, 630-637

Security Setup wizard, 644  
 Select attribute (LinqDataSource control), 598, 599  
 Select clause (Select statement), 374, 375  
 Select keyword (Visual Basic), 590, 591  
 Select method  
   AccessDataSource class, 98, 99  
   data access class, 558-561  
 Select parameter, 404, 405  
 Select statement (SQL), 94, 95, 374-377  
   configuring, 400, 401  
   creating with Query Builder, 406, 407  
 SelectCommand attribute (SqlDataSource control), 395  
 SelectCommand property (SqlDataAdapter class), 388, 389  
 SelectCountMethod attribute (object data source control), 584, 585  
 Selected property  
   list item, 224, 225, 232, 233  
   radio button list and check box list, 230  
 SelectedDate property (calendar control), 242  
 SelectedDates property (calendar control), 242  
 SelectedIndex property  
   GridView control, 429, 444  
   list box and drop-down list, 224, 225, 226  
   list control, 49  
   radio button list and check box list, 230, 231  
 SelectedIndexChanged event, 207  
   GridView control, 447  
   list box and drop-down list, 224, 225  
   list control, 62, 63  
 SelectedIndexChanging event (GridView control), 447  
 SelectedItem property  
   list box and drop-down list, 224, 225  
   list control, 49  
   radio button list and check box list, 230, 231  
 SelectedItemTemplate element (ListView control), 507, 532  
 SelectedRow property (GridView control), 444  
 SelectedRowStyle element (GridView control), 433, 444  
 SelectedValue property  
   drop-down list, 96, 97  
   list box and drop-down list, 224, 225  
   list control, 48, 49, 416, 417  
   radio button list and check box list, 230, 231

- SelectImage attribute (CommandField element), 445
- SelectionChanged event (calendar control), 242
- SelectionMode property
  - calendar control, 242, 243
  - list box and drop-down list, 224, 225
- SelectMethod attribute (ObjectDataSource control), 548, 549, 550, 558
- SelectParameters element
  - ObjectDataSource control, 560, 561
  - SqlDataSource control, 404, 405
- SelectText attribute (CommandField element), 445
- Self-signed certificate, 628, 629
- SelfClosingTagEnd field (HtmlTextWriter class), 902, 903
- Send method (SmtpClient class), 750, 751
- Sender argument
  - Click event, 210, 211
  - RaiseEvent statement, 906, 907
- SeparatorStyle element (DataList control), 415
- SeparatorTemplate element (DataList control), 413
- Serializable attribute (custom data type), 700, 701
- SerializeAs attribute (profile property), 700, 701
- Server, 6, 7
- Server certificate, 621
- Server controls, 10, 11, 40
  - adding, 46, 47, 165
  - setting properties, 46, 47
  - types, 202, 203
  - UserControl class, 867
- Server Error page, 137
- Server property (page), 83, 86, 758
- ServerValidate event (custom validator), 266, 267
- Service description (web service), 934
- Session cookie, 290, 291
  - authentication ticket, 642, 643
- Session ID, 12, 13, 100, 101, 276, 277
  - tracking, 280, 281, 282
- Session property
  - HttpContext class, 102, 103, 276, 277
  - page, 24, 103, 276, 277
  - UserControl class, 866, 867
- Session state, 12, 13, 74, 100-103, 276-283
  - compared to profiles, 686, 687
  - uses, 100, 101
  - with custom error handling, 760, 761
  - with the back-button problem, 770, 771
- Session state object, 12, 13, 24, 100, 101, 102, 103, 276, 277
- Session state store provider, 280, 281
- Session\_End event, 289
- Session\_Start event, 288, 289
- SessionID property (HttpSessionState class), 103
- SessionParameter element, 405
- SessionState element (web.config file), 282, 283
- Set Next Statement command, 144, 145
- Setup program, 846, 847, 854-857
- Setup.exe file, 856, 857
- Setup.msi file, 856, 857
- Shopping Cart application
  - basic version, 74-79, 104-115
  - files, 20, 21
  - FormView control version, 498-503
  - master page version, 301
- ShoutBox application, 828-837
- ShoutItem class, 830, 831
- ShoutItemList class, 830, 831
- Show Next Statement command, 144, 145
- ShowCancelButton attribute (CommandField element), 445
- ShowDeleteButton attribute (CommandField element), 445
- ShowEditButton attribute (CommandField element), 444, 445
- ShowExpandCollapse attribute (TreeView control), 330, 331
- ShowFirstPageButton attribute (next/previous pager), 519
- ShowHeader property (GridView field), 430, 431
- ShowLastPageButton attribute (next/previous pager), 519
- ShowLines attribute (TreeView control), 330, 331
- ShowMessageBox property (validation summary control), 258, 259
- ShowNextPageButton attribute (next/previous pager), 519
- ShowPreviousPageButton attribute (next/previous pager), 519
- ShowSelectButton attribute (CommandField element), 445
- ShowStartingNode attribute (SiteMapDataSource control), 332, 333
- ShowSummary property (validation summary control), 258, 259

- Side bar (Wizard control), 730
- SideBarButtonClick event (Wizard control), 739
- SideBarButtonStyle element (Wizard control), 741
- SideBarStyle element (Wizard control), 740, 741
- SideBarTemplate element (Wizard control), 740, 741
- SignOut method (FormsAuthentication class), 680, 681
- Single root certificate, 622, 623
- Site map data source, 332
- Site Map template, 326, 327
- Site navigation, 323-339
- SiteMap element (web.sitemap), 326
- SiteMapDataSource control, 324, 325, 332, 333
- SiteMapNode element (web.sitemap), 326, 327
- SiteMapPath control, 324, 325, 336, 337
- Skin (WebPartZone control), 798, 799
- Skin File template, 351
- SkinID attribute (skin), 350, 351, 356, 357
- SkinID property (server control), 356, 357
- Skins, 344, 345, 350, 351
  - applying to controls, 356, 357
  - storing in separate files, 352, 353
- Smart Compile Auto Correction feature, 66, 67
- Smart tag (syntax error), 66, 67
- Smart tag menu, 47, 48
- SMTP (Simple Mail Transfer Protocol), 744, 745
- Smtplib section (web.config file), 750
- SMTP service (IIS), 746, 747
- SMTP settings, 750, 751
- SmtplibClient class, 750, 751
- SOAP (Simple Object Access Protocol), 926, 927
- Software requirements, 14, 15
- Solution Explorer, 20, 21, 34, 35
  - adding items, 36, 37
- Solution file, 32, 33
- SortExpression attribute (GridView column), 434, 435
- Sorting
  - GridView control, 434, 435
  - Listview control, 514, 515
- Source property (Exception class), 758, 759
- Source view, 34, 50, 51, 54, 55, 164, 165
- Span element, 42, 43, 178, 179
- Split view, 34, 52, 53, 164
- SQL data source, 392
- SQL dialect, 374
- SQL pane (Query Builder), 407
- SQL Server, 6, 7, 14, 15, 365
- SQL Server 2005 Express Edition, 14, 15, 18, 365
  - installing, 950, 951
- SQL Server Configuration Manager, 950, 951
- SQL Server data types, 371
- SQL Server mode (session state), 280, 281
- SqlCommand class, 386, 387
- SqlConnection class, 386, 387
- ConnectionString attribute (sessionState element), 282, 283
- SqlDataAdapter class, 388, 389
- SqlDataReader class, 388, 389
- SqlDataSource control, 392, 393
  - creating, 394, 395
- SqlDbType property (SqlParameter class), 387
- SqlParameter class, 387, 388
- Src attribute (Register directive), 874, 875
- SSL (Secure Sockets Layer), 618, 619
- SSL client authentication, 620
- SSL server authentication, 620
- SSL strength, 622, 623
- Stack trace, 137
- Standalone environment, 18, 19
- Standard controls, 202, 203
- Standard group (Toolbox), 46, 47
- Standard toolbar, 34, 35
- Start tag, 162, 163
- Start/Continue command, 145
- StartFromCurrentNode attribute (SiteMapDataSource control), 332, 333
- StartingNodeUrl attribute (SiteMapDataSource control), 332, 333
- StartNavigationTemplate element (Wizard control), 740, 741
- StartNextButtonStyle element (Wizard control), 741
- StartRowIndexParameterName attribute (ObjectDataSource control), 584, 585
- State, 12, 13
- State server mode (session state), 280, 281
- StateBag class, 274, 275
- StateConnectionString attribute (sessionState element), 282, 283
- Stateless protocol, 12, 13
- Statement completion feature, 164, 165
- Static menu, 334

Static web pages, 8, 9  
 StaticDisplayLevels attribute (Menu control), 335  
 StaticEnableDefaultPopOutImage attribute (Menu control), 335  
 StatusCode attribute (Error element), 765  
 Step Into command, 144, 145  
 Step Out command, 144, 145  
 Step Over command, 144, 145  
 StepNavigationTemplate element (Wizard control), 741  
 StepNextButtonStyle element (Wizard control), 741  
 StepPreviousButtonStyle element (Wizard control), 741  
 Steps (Wizard control), 730, 731  
     adding or removing, 732, 733  
 StepType attribute (WizardStep control), 736, 737, 738, 739  
 Stop Debugging command, 145  
 Stored procedure (SqlDataSource control), 400  
 Strong element, 42, 43  
 Strongly-typed collection (select method), 560, 561  
 Style Application toolbar, 190  
 Style attribute, 176, 177  
     Span element, 42, 43, 179  
 Style Builder, 349  
 Style class, 178, 180, 181, 182, 183  
 Style element, 178, 180, 181  
     master page, 306, 307  
 Style elements (DataList control), 414, 415  
 Style properties, 176, 177  
     adding to style rule, 188, 189  
     tables, 196, 197  
 Style rule, 180, 181, 186, 187  
     adding, 184, 185, 188, 189  
     applying to document, 192, 193  
     modifying, 184, 185  
 Style sheet, 188, 189  
 Style Sheet template, 188, 189, 349  
 Style sheet themes, 360, 361  
 Style tag, 22  
 Styles, 176-179, 182-189  
     applying to document, 190, 191  
     inline, 176, 177  
     Wizard control, 740, 741

StyleSheetTheme attribute (Pages element), 360, 361  
 StyleSheetTheme property (page), 360, 361  
 Sub procedure, 60, 61, 206, 207  
 Subject property (MailMessage class), 748, 749  
 Superclassed control, 888, 889, 908-913  
 Syntax error (HTML), 164, 165  
 System data type, 370  
 System.ComponentModel namespace, 565, 868  
 System.Data namespace, 363  
 System.Net.Mail namespace, 749, 751  
 System.web element (web.config file), 282, 692, 693  
 System.Web.Security namespace, 677, 679, 681, 683  
 System.Web.Services namespace, 931

## T

---

TabIndex property (web server control), 49  
 Table element, 194, 195  
 Table tag, 50  
 TableName attribute (LinqDataSource control), 598, 599  
 Tables (database), 366, 367  
     joining, 376, 377  
     querying, 374, 375  
 Tables (HTML), 44, 45, 194-199  
     controlling page layout, 198, 199  
 Tag  
     custom server control, 901  
     custom WebPart control, 802, 803  
     HTML, 162, 163  
     user control, 874, 875  
 TagName attribute (Register directive), 874, 875  
 TagPrefix attribute (Register directive), 874, 875  
 TagRightCharacter field (HtmlTextWriter class), 902, 903  
 Target framework, 32  
 Td element, 194, 195, 196  
 Template fields  
     DetailsView control, 482, 483  
     GridView control, 458, 459  
 Template-editing mode  
     DataList control, 392, 413  
     FormView control, 492, 493  
     Wizard control, 740, 741

- TemplateField element
  - DetailsView control, 469, 483
  - GridView control, 433, 458, 459
- Templates, 410, 411
  - DataList control, 412, 413
  - FormView control, 492, 493
  - ListView control, 506, 507
  - Wizard control, 740, 741
- Testing applications, 128-135
  - file-system web sites with IIS, 132, 133
  - from outside Visual Studio, 134, 135
  - with a browser other than the default, 130, 131
  - with the default browser, 128, 129
- Text attribute
  - button and link button, 210, 211
  - check box and radio button, 218, 219
  - hyperlink control, 236, 237
- Text box control, 40, 41, 205, 216, 217
- Text Editor toolbar, 60, 61
- Text Editor window, 188
- Text formatting elements, 172, 173
- Text property
  - binding, 418, 419
  - custom server control, 890, 891
  - label, 216, 217, 220
  - list item, 224, 225, 226, 227, 228, 229
  - text box, 217, 220
  - validator, 248, 249, 258, 259
  - web server control, 48, 49
- TextChanged event (text box), 62, 63, 207
- TextMode attribute (text box), 216, 217
- Th element, 510, 511
- Theme attribute
  - Page directive, 356, 357, 358, 359
  - Pages element, 346, 347, 358, 359
- Theme property (page), 356, 357, 358, 359
- Themes, 341-361
  - applying to a page, 356, 357
  - applying to an application, 346, 347
  - making available to an application, 346, 347
  - removing, 358, 359
- Tilde operator, 90, 91
- Timeout attribute (sessionState element), 282, 283
- Timer control, 814, 815, 824, 825
- Timestamps (using to avoid the back-button problem), 770, 771
- Title (form), 54
  - modifying, 50, 51
- Title attribute
  - Page directive, 310
  - Part class, 782, 785
  - siteMapNode element, 327
- Title element, 168, 169
- Title property (custom WebPart control), 802, 803
- Title tag, 22
- TitleStyle element (calendar control), 242
- To property (MailMessage class), 748, 749
- TodayDayStyle element (calendar control), 242
- Toolbox, 34, 35
- ToolboxData attribute (Class statement), 904, 905
- ToolTip property (web server control), 49
- Top attribute (RectangleHotSpot element), 240
- Tr element, 194, 195
- Trace attribute (Page directive), 150, 151, 170, 171
- Trace feature, 150-153
  - size of view state, 272, 273
- Trace messages (custom), 152, 153
- Trace output, 150, 151
- Trace property (page), 152, 153
- Tracepoint, 140, 141
- Transact-SQL, 374
- Transfer method
  - HttpServerUtility class, 83, 86
  - query strings, 296, 297
- TreeView control, 324, 325, 330, 331
  - compatibility issues with AJAX, 822, 823
- Trial certificate, 624, 625
- Trigger (UpdatePanel control), 822, 823
- Try...Catch block (custom error handling), 756, 757, 758, 759
- Two-way binding, 418, 419, 458
- Type attribute
  - ControlParameter element, 405
  - Input element, 166, 167
  - Link element, 186, 187
  - profile property, 688, 689, 694, 695
  - Style element, 180
- Type property
  - compare validator, 254, 255
  - range validator, 58, 59, 256, 257
- TypeName attribute (ObjectDataSource control), 548, 549, 550

**U**


---

Uniform Resource Locator, *see* *URL*

Unique constraint, 366

Unique key, 366, 367

Unique key constraint, 366, 367

Unlock method (HttpApplicationState class), 287

Update method

- data access class, 558, 559, 562, 563
- data access class with business objects, 576, 577
- data source control, 444
- SqlDataAdapter class, 388, 389

Update statement

- SQL, 95, 378, 379
- SqlDataSource control, 400

UpdateCheck property (entity class column), 606, 607

UpdateCommand attribute (SqlDataSource control), 422, 423

UpdateCommand property (SqlDataAdapter class), 388, 389

UpdateImage attribute (CommandField element), 445

UpdateMethod attribute (ObjectDataSource control), 548, 549, 558

UpdateMode attribute (UpdatePanel control), 822, 823, 824

UpdatePanel control, 814, 815, 822, 823

UpdateParameters element (SqlDataSource control), 422, 423

UpdateProgress control, 814, 815, 826, 827

UpdateText attribute (CommandField element), 445

UpdateUser method (Membership class), 677, 678

URL, 8, 9

- coding, 90, 91

Url attribute (siteMapNode element), 327

URL encoding, 296, 297

Url property (HttpRequest class), 632, 633

User Account Control (Windows Vista), 952, 953

User Control Designer, 864, 865

User controls, 861-881

- adding to web forms, 872, 873
- adding to web part zones, 786, 787
- compared to custom server controls, 886, 887
- creating, 864-871
- working with from web form, 876, 877

User Interface Editor (web setup project), 854

UserControl class, 866, 867

Username property (MembershipUser class), 679

Users, 650, 651

Users attribute (Deny and Allow elements), 674, 675

UUEncode format, 752, 753

**V**


---

Validate method (page), 249, 260, 261

ValidateUser method (Membership class), 676, 677, 680

Validation controls, 40, 56-59, 202, 203, 245-269

Validation group, 260, 261

- Toolbox, 56

Validation summary control, 246, 247, 258, 259

ValidationExpression property (regular expression validator), 262, 263

ValidationGroup attribute

- button, 260, 261
- CommandField element, 445

ValidationGroup property (validator), 249

Validators, 56, 246, 247

Valign attribute (Td and Tr element), 197

Value attribute (bulleted list), 232, 233

Value property

- HttpCookie class, 290, 291
- list item, 224, 225, 226, 227, 228, 229
- ServerValidateEventArgs class, 266, 267
- SqlParameter class, 387

Value-type variable, 278, 279

Values property (StateBag class), 275

ValueToCompare property (compare validator), 254, 255

Verb, 792, 793

Vertical menu, 334, 335

View control, 720, 721

View state, 12, 13, 272-275

- MultiView control, 726, 727
- using to avoid the back-button problem, 770, 771
- when to disable, 272, 273
- Wizard control, 736

View state data, 68, 69

View state object, 274, 275

Views (MultiView control), 718, 719  
 adding, 720, 721  
 navigating, 724, 725

Views property (MultiView control), 728, 729

ViewState property (page), 274, 275

Virtual directory  
 creating from Visual Studio, 122, 123  
 creating under Windows Vista, 966, 967  
 creating under Windows XP, 958, 959

Virtual root, 126

VirtualDirectory property (File System Editor), 854

Visible attribute  
 calendar control, 242  
 CloseVerb element, 792, 793  
 HeaderCloseVerb element, 792, 793  
 PagerSettings element, 438, 439

Visible property  
 binding, 418, 419  
 web server control, 49

Visited class, 182, 183

Visual Studio 2008  
 editions, 14, 15  
 installing, 948, 949

Visual Web Developer 2008 Express Edition, 14, 15  
 installing, 948, 949

## W

---

Warn method (TraceContext class), 152, 153

Watch expression, 147

Watch window, 146, 147

Web application, 4  
 compiling, 26, 27  
 ending, 66, 67  
 running, 26, 27, 66, 67  
 testing, 66, 67, 128-135

Web application project, 33

Web browser, 6, 7

Web Configuration File template, 282

Web control library, 884, 885  
 creating, 898, 899  
 testing, 900, 901

Web Custom Control template, 891

Web form, 4, 7, 34, 35  
 adding, 82, 83  
 modifying title, 50, 51  
 renaming, 84, 85  
 starting, 84, 85

Web Form template, 82, 83

Web Forms Designer, 20, 21, 34, 35

Web method, 930, 931

Web page, 4, 7  
 linking to a style sheet, 189

Web part controls, 202, 203

Web part zone, 776, 779

Web parts, 773-803  
 formatting, 798, 799

Web project, 33, 34

Web reference, 936, 937

Web server, 6, 7

Web server controls, 40, 41, 202, 203, 204, 205  
 rendering, 166, 167

Web Service help page, 934, 935

Web service proxy, 818, 819

Web Service template, 929

Web services, 925-939  
 consuming, 936-939  
 creating, 928-933  
 registering with ScriptManager control, 818, 819  
 registering with ScriptManagerProxy control, 820, 821  
 testing, 934-935

Web Setup project, 846, 847, 854-857

Web site, 32, 33  
 closing, 38, 39  
 opening, 38, 39  
 starting, 32, 33

Web Site Administration Tool  
 security, 644-653  
 SMTP settings, 750, 751

Web User Control template, 864, 865

Web.config file, 33, 78, 79  
 application path, 630, 631  
 HTTP errors, 764, 765  
 profile properties, 686, 687  
 themes, 346, 347

Web.config files (Authentication application), 674, 675

Web.sitemap file, 324, 325, 326, 327  
 Navigation application, 328, 329

WebControl class (custom server controls), 884, 885, 888, 889, 890

WebMethod attribute, 930, 931

WebPart class, 780, 781, 801, 802, 803

WebPart control (custom), 802, 803

WebPart hierarchy, 780, 781

WebPartManager class, 800, 801

WebPartManager control, 782, 783, 785

WebParts group (Toolbox), 782, 783

WebPartsTemplate element (web parts catalog), 792, 793

WebPartVerb class, 801

WebPartZone class, 801

WebPartZone control, 782, 783, 785  
 formatting, 798, 799

WebService attribute, 930, 931

WebService class, 930, 931

Where attribute (LinqDataSource control), 598, 599

Where clause (Select statement), 374, 375  
 creating for SqlDataSource control, 402, 403

Where keyword (Visual Basic), 590, 591

White space (HTML), 162, 164

Whitespace character (regular expression), 264, 265

Width attribute (image control), 236, 237

Width property (web server control), 49

Windows-based authentication, 640, 641

WithEvents keyword (control declaration), 876, 877

Wizard control, 730-741

WizardStep Collection Editor, 732, 733

WizardStep control, 738, 739

WizardStep tag, 732, 733

WizardSteps tag, 732, 733

Word character (regular expression), 264, 265

Wrap attribute (text box), 216, 217

Write method  
 HtmlTextWriter class, 890, 891, 892, 893, 902, 903  
 HttpResponse class, 154, 155  
 TraceContext class, 152, 153

WriteAttribute method (HtmlTextWriter class), 902, 903

WriteBeginTag method (HtmlTextWriter class), 902, 903

WriteEndTag method (HtmlTextWriter class), 902, 903

WSDL (Web Services Description Language), 926, 927, 934

wsdl file, 938, 939

## X

---

X attribute (CircleHotSpot element), 240

X property (ImageClickEventArgs class), 212, 213

XCopy deployment, 846-849

XHTML version 1.0 Transitional, 170, 171

XML  
 web service, 926, 927, 934  
 with AJAX, 808, 809

xml file (web control library), 900

XMLHttpRequest object, 808, 809, 810

## Y

---

Y attribute (CircleHotSpot element), 240

Y property (ImageClickEventArgs class), 212, 213

## Z

---

ZoneTemplate element (WebPartZone control), 782, 783, 785