

# Index for *Murach's Java Servlets and JSP (2nd Ed.)*

[\[Book summary\]](#)[\[Table of contents\]](#)[\[Free downloads\]](#)[\[Murach Books home page\]](#)

&amp;, 224, 225  
&copy;, 224, 225  
. operator, 314, 315  
[ ] operator, 318, 319, 322, 323  
200 status code, 562, 563  
3-layer architecture, 22, 23  
404 error, 40, 41, 166, 167  
404 status code, 236, 237, 562, 563  
500 error, 166, 167  
500 status code, 562, 563

## A

---

Absolute link (HTML), 110, 111  
Action attribute, 120, 121, 140, 141, 176, 177  
Action query, 436, 437  
addCookie method (response object), 260, 261, 572, 573  
addRecipient method (MimeMessage object), 498, 499  
addRecipients method (MimeMessage object), 498, 499  
Address class, 498, 499  
Administrator tool (MySQL), 420, 421, 422, 423  
Adobe Photoshop, 116  
Anchor tag, 150, 151  
Apache HTTP server, 6, 7, 20, 21  
Apache Software Foundation, 12, 13, 30  
Applet, 12  
Application scope, 292, 293, 298, 299  
Application, 4, 5  
applicationScope object (EL), 316, 317  
Architecture, 22, 23  
Attribute  
    Action, 120, 121, 140, 141, 176, 177  
    HTML, 110, 111  
    Method, 120, 121, 140, 141  
    OnClick, 124, 125, 214, 215  
    TabIndex, 132, 133  
Authentication, 516, 517, 532-535  
Authorization, 532, 533  
Automatic driver loading, 444, 445

## B

---

Basic authentication, 534, 535, 546, 547

Bean, *see JavaBean*  
BodyContent class, 408, 409  
BodyTagSupport class, 406, 407  
Browser, 4, 5, 14, 38, 39  
    address box, 4, 5, 14  
    Internet Explorer, 6, 7  
    Mozilla Firefox, 6, 7  
    viewing source code, 192, 193  
Build application (NetBeans), 78, 79  
Business rules layer, 22, 23  
Button, 124, 125  
    JavaScript, 214, 215

## C

---

CA, 518, 519  
Cache control, 564, 565  
Caching (response object), 574, 575  
Cascading style sheets, 118, 119  
Catalina, 34, 35  
Catalina batch file, 34, 35  
catch tag (JSTL), 356, 357  
Cell (HTML table), 112, 113  
Certification authority, 518, 519  
Check box, 126, 127  
Child element, 230, 231  
choose tag (JSTL), 352, 353  
Class class, 444, 445  
Class diagrams  
    business layer, 634, 635  
    data layer, 642, 643  
Classpath, 30  
Client computer, 6, 7  
Client/server application, 6, 7  
close method (ResultSet object), 446, 447  
close method (Transport class), 500, 501  
Column (database), 428, 429  
Column (table), 112, 113  
Combo box, 128, 129  
Command-line tool (MySQL), 418, 419  
Comment  
    HTML, 108, 109, 162, 163  
    Java, 162, 163  
    JSP, 162, 163  
    XML, 230, 231

- Compression (response object), 576, 577
  - connect method (Transport class), 500, 501
  - Connection object, 444-447, 464, 465
  - Connection pooling, 464-481
  - ConnectionPool class, 466, 467
  - Connector/J driver, 442, 443, 540, 541
    - installation, 716, 717
  - Console, 36, 37, 194, 195
  - Constructor (JavaBean), 288, 289
  - Container-managed authentication, 532, 533
  - Container-managed security, 532, 533
  - Content type, 182, 183
  - Context initialization parameter, 232-235
    - EL access, 326, 327
  - Context.xml file, 54, 55
    - connection pooling, 466, 467
    - JDBCRealm, 540, 541
    - DataSourceRealm, 544, 545
    - Music Store web site, 633
  - Control, 120, 121
  - Controller, 208, 209
  - Cookie, 244, 245, 252, 253, 258-267
    - class, 260-267
    - constructor, 260, 261
    - protocol, 264, 265
    - EL access, 324, 325
  - Create Database statement (SQL), 426, 427
  - Create database, 426, 427
  - CREATE TABLE statement (SQL), 428, 429
  - createStatement method (Connection object), 446, 447
  - Cross-cutting concerns, 600, 601
  - Current row pointer, 432
  - Cursor, 432, 446, 447, 448
  - Custom JSP tag, 375-410
  - Custom tag, 375-410
- D**
- 
- Data access layer, 22, 23
  - Data Definition Language (SQL), 432
  - Data Manipulation Language (SQL), 432-437
  - Data store, 206, 207
  - Data types
    - ResultSet object, 448, 449
    - JavaBean, 298, 299
  - Data validation, 214-223
    - JavaScript, 214, 215
    - servlet, 218, 219
  - Database, 418
  - Database connection pooling, 464-481
  - Database diagram
    - Music Store database, 638, 639
  - Database driver, 442, 443
  - Database engine, 420, 421
  - Database management system, *see* DBMS
  - Database server, 420, 421
  - Database service (MySQL), 420-423
  - DataSource object, 466, 467
  - DataSourceRealm, 544, 545, 633
  - DBCP, 464-481
  - DBMS, 6, 7, 20, 21
  - DDL (SQL), 432
  - Debugging, 194-197
  - Declaration
    - JSP, 164, 165
    - XML, 180, 181
  - Decorator pattern, 612-615
  - Delete database, 426, 427
  - DELETE statement (SQL), 436, 437, 450, 451
  - Deploy an application, 44, 45
    - NetBeans, 78, 79
  - Deployment, 92, 93
  - Deployment descriptor, 48, 49, 90, 91
  - Destroy method (servlet), 188, 189
  - Digest authentication, 534, 535, 546
  - Digital secure certificate, 516-521
  - Directory
    - META-INF, 46, 47
    - structure, 46, 47
    - webapps, 32, 33, 44-47
  - display-name element, 48, 49
  - DML (SQL), 432-437
  - DocType tag (HTML), 108, 109
  - Document root directory, 46, 47
  - doGet method (servlet), 180-183, 186, 187
  - Domain, 264, 265
  - Domain name, 26, 38
  - doPost method (servlet), 178-183, 186, 187
  - DOS prompt window, 36, 37
  - Dot operator, 314, 315
  - Dreamweaver, 106

Driver (database), 442, 443  
 DriverManager class, 444, 445  
 DROP DATABASE statement (SQL), 426, 427  
 DROP TABLE statement (SQL), 428, 429  
 Dynamic web page, 10, 11

## E

---

Eclipse, 24, 25  
 EJB, 12, 13, 290  
   container, 12, 13  
   server, 12, 13  
 EL, 311-334  
   disabling, 332, 333  
   operators, 328-331  
   with custom tag, 386, 387  
 Element (XML), 48, 49, 230, 231  
 Email, 487-510  
 encodeURL method (response object), 254, 255  
 Encryption, 514, 515, 534, 535  
 Enterprise JavaBean, *see EJB*  
 Enumeration object, 146, 147  
 Environment space problem, 37  
 Environment variable, 34, 35  
 Error handling, 236, 237  
 Errors  
   JSP, 166, 167  
   servlet, 192, 193  
 Escape sequence, 294, 295  
 Eudora, 488  
 Excel spreadsheet, 574, 575, 698  
 executeQuery method (PreparedStatement object), 452, 453  
 executeQuery method (Statement object), 446, 447  
 executeUpdate method (PreparedStatement object), 452, 453  
 executeUpdate method (Statement object), 450, 451  
 Expression (JSP), 142-145  
 Expression Language, *see EL*  
 Extensible Markup Language, *see XML*  
 External style sheet, 118, 119

## F

---

File Download dialog box, 578, 579  
 File path, 148, 149

File Transfer Protocol, *see FTP*  
 Files window (NetBeans), 92, 93  
 FileZilla, 26, 27  
 Filter interface, 602, 603  
 Filters, 599-618  
 Firefox browser, 40, 252, 253, 256, 570, 571  
 Footer file, 224, 225, 354, 355  
 forEach tag (JSTL), 344, 345, 348, 349  
 Foreign key (database), 428, 429  
 Form, 120, 121  
 form keyword (Java), 124, 125  
 Form tag, 176, 177  
 Form-based authentication, 534, 535, 548-551  
 forName method (Class class), 444, 445  
 forTokens tag (JSTL), 346, 347  
 forward method (RequestDispatcher object), 212, 213  
 Forward request, 212, 213  
 Forward-only result set, 446, 447  
 FTP, 26, 27, 44

## G

---

GenericServlet class, 148, 149, 234, 235  
 get method (JavaBean), 288, 289  
 Get method (HTTP), 140, 141, 150-153  
 get methods (ResultSet object), 448, 449  
 getAttribute method (session object), 248, 249  
 getAttribute method (request object), 210, 211  
 getAttributeNames method (session object), 250, 251  
 getAuthType method (request object), 566, 567  
 getColumnCount method (ResultSetMetaData object), 462, 463  
 getColumnName method (ResultSetMetaData object), 462, 463  
 getConnection method (DriverManager class), 444, 445  
 getContentLength method (request object), 566, 567  
 getContentType method (request object), 566, 567  
 getCookie method (request object), 260-263, 566, 567  
 getDateHeader method (request object), 566, 567  
 getDefaultInstance method (Session class), 494, 495  
 getHeader method (request object), 566, 567

getHeaderNames method (request object), 566-569  
 getId method (session object), 250, 251  
 getInitParameter method (ServletConfig interface), 234, 235  
 getInitParameter method (ServletContext interface), 234, 235  
 getIntHeader method (request object), 566, 567  
 getMetaData method (ResultSet object), 462, 463  
 getName method (Cookie class), 260, 261  
 getParameter method (request object), 142-147  
 getParameterNames method (request object), 146, 147  
 getParameterValues method, request object, 146, 147  
 getProperty tag (JSP), 294, 295  
 getRealPath method, 148, 149  
 getRemoteUser method (request object), 566, 567  
 getRequestDispatcher method (ServletContext object), 212, 213  
 getRow method (ResultSet object), 446, 447  
 getServletConfig method (GenericServlet class), 234, 235  
 getServletContext method (GenericServlet class), 148, 149, 234, 235  
 getSession method (request object), 248, 249  
 getTransport method (Transport class), 500, 501  
 getValue method (Cookie class), 260, 261  
 GIF file, 116, 117  
 Glassfish server, 66, 67  
 Graphic Interchange Format (GIF), 116, 117  
 GZIP compression (response object), 576, 577

## H

---

hasMoreElements method (Enumeration object), 146, 250, 251  
 Header file, 224, 225, 354, 355  
 Hibernate, 474  
 Hidden field, 122, 123, 270, 271  
 Hidden text box, 368, 369  
 Host, 38, 39  
 Hover style, 118  
 HTML, 8, 9, 105-134
 

- attribute, 110, 111
- button, 124, 125
- check box, 126, 127
- combo box, 128, 129
- comment, 108, 109, 162, 163
- control, 120, 121
- document, 106, 107
- form, 120, 121, 140, 141
- link, 110, 111
- list box, 128, 129
- page, 106, 107
- radio button, 126, 127
- style sheet, 118, 119
- tab order, 132, 133
- table, 112, 113
- text box, 122, 123

 HTML tag, 106, 107, 108, 109
 

- A, 110, 111
- Anchor, 110, 111, 150, 151
- B, 108, 109
- Body, 108, 109
- Comment
- DocType, 108, 109
- Form, 120, 121, 176, 177
- H1, 108, 109
- H2, 108, 109
- Head, 108, 109
- Html, 108, 109
- I, 108, 109
- Image, 116, 117
- Input, 120, 121, 122-127
- Link, 118, 119
- P, 108, 109
- Select, 128, 129
- Table, 112-115
- TD, 112-115
- Textarea, 130, 131
- Title, 108, 109
- TR, 112-115
- U, 108, 109

 HTTP, 8, 9, 38, 39, 244, 245, 555-580
 

- Get method, 140, 141, 150-153
- EL access, 324, 325
- Post method, 152, 153
- request, 8, 9, 206, 207, 556, 557
- request headers, 556, 557, 560, 561, 566-571
- response, 8, 9, 206, 207
- response headers, 556, 557, 564, 565, 572, 573
- status codes, 236, 237, 562, 563, 572, 573

HttpServlet class, 182, 183, 196, 197  
 HttpServletRequest object, *see Request object*  
 HttpServletRequestWrapper class, 612-615  
 HttpServletResponse object, *see Response object*  
 HttpServletResponseWrapper class, 612-615  
 HTTPSession object, *see Session object*  
 HttpSessionActivationListener interface, 590, 591  
 HttpSessionAttributeListener interface, 590, 591  
 HttpSessionBindingListener interface, 590, 591  
 HttpSessionListener interface, 590, 591  
 Hypertext Markup Language, *see HTML*  
 Hypertext Transfer Protocol, *see HTTP*

## I

---

i18n, 340  
 IDE, 24, 25  
     HTML, 106, 107  
     NetBeans, 61-98  
 if tag (JSTL), 350, 351  
 Image, 116, 117  
 IMAP, 488, 489  
 Implicit EL object, 316, 317, 324, 325  
 Implicit request object, 142, 143, 178, 179  
 Import classes (JSP), 160, 161  
 import tag (JSTL), 354, 355  
 Include action, 228, 229  
 Include directive, 228, 229  
 Include file, 224-229  
 Includes, 224, 354, 355  
 Init method (servlet), 188, 189  
 InitialContext class, 466, 467  
 Initialization parameter  
     context, 232-235  
     EL access, 326, 327  
     filter, 616, 617  
     servlet, 232-235  
 init-param element (web.xml file), 56, 57, 232, 233  
 Inner join, 434, 435  
 INSERT statement (SQL), 430, 431, 436, 437, 450, 451  
 Instance variable (JSP), 164, 165  
 Instance variable (servlet), 190, 191  
 Integrated Development Environment, *see IDE*  
 IntelliJ IDEA, 25  
 Interface (JavaBean), 300, 301

Internationalization, 340  
 Internet, 6, 7  
     development, 20, 21  
 Internet Explorer, 6, 7, 252, 253, 570, 571  
     error page, 31, 40  
 Internet Message Access Protocol, 488, 489  
 Internet Service Provider, 26, 27, 416, 488  
 InetAddress class, 498, 499  
 Intranet, 6, 7  
 invalidate method (session object), 250, 251  
 Invisible JavaBean, 288  
 Invoker servlet, 56, 57  
     mapping, 56, 57  
 IP address, 26, 38  
 is method (JavaBean), 288  
 isNew method (session object), 250, 251  
 ISP, 26, 27, 416, 488

## J

---

JAF, 488, 490, 491  
 Jakarta-Commons project, 12, 13, 464-466  
 JAR file, 20, 21, 30-33, 46, 47  
     connection pooling, 464, 465  
     JavaMail, 489, 490, 491  
 Java Archive File, *see JAR file*  
 Java classes, 154-157  
 Java comment, 162, 163  
 Java Database Connectivity, 442-463  
 Java Development Kit, *see JDK*  
 Java EE, 12, 13, 20, 21  
 Java Enterprise Edition, *see Java EE*  
 Java Runtime Environment, *see Java JRE*  
 Java SE 6, 12, 13  
     installation, 706, 707  
 Java Secure Socket Extension, 520, 521  
 Java Standard Edition, *see Java SE 6*  
 JAVA\_HOME environment variable, 34, 35  
 JavaBean, 22, 23, 288-291  
     with EL, 312-315  
 JavaBeans Activation Framework, 488, 490, 491  
 JavaMail, 487-510  
 JavaScript button, 124, 125  
 JavaScript, 214, 215  
 JavaServer Page, *see JSP*  
 JBuilder, 25

JDBC, 442-463  
 JDBC-ODBC bridge driver, 443  
 JDBCRealm, 540-543  
 JDK, 12, 13, 20, 21  
   installation, 706, 707  
 Join (SQL), 434, 435  
 Joint Photographic Experts Group (JPEG), 116, 117  
 JPEG file, 116, 117  
 JRE, 12, 13  
 JSP, 14, 15, 137-170  
   comment, 162, 163  
   custom tag, 375-410  
   declaration, 164, 165  
   engine, 16, 378, 379  
   errors, 166, 167  
   expression, 142-145  
   Expression Language, *see EL*  
   instance, 164, 165  
   JavaBean tags, 290-301  
   method declaration, 164, 165  
   page directive, 160, 161  
   parameter, 140, 141, 150-153  
   scriptlet, 142-145  
   servlet generation, 168, 167  
   Standard Tag Library, *see JSTL*  
   thread, 164, 165  
 JspWriter object, 380, 381  
 JSSE, 520, 521  
 JSTL, 337-372  
   core library, 342-357  
   documentation, 340, 341  
   JAR files, 338, 339  
   libraries, 338, 339

## **K**

---

Key (database), 428, 429  
 Keystore file, 520, 521  
 Keyword (Java)  
   form, 124, 125  
   this, 124, 125  
 LAN, 6, 7  
   development, 20, 21  
 last method (ResultSet object), 446, 447  
 Left outer join, 434, 435  
 Link (HTML), 110, 111

Linked style sheet, 118, 119  
 List, 312, 313  
 List box, 128, 129  
 Listener, 583-596  
   event object methods, 594, 595  
   interface methods, 592, 593  
   interfaces, 590, 591  
 Load command (MySQL), 430, 431  
 Local Area Network, *see LAN*  
 Log file, 196, 197  
 log method (HttpServletRequest class), 196, 197  
 Logging messages, 196, 197

## **M**

---

Macromedia Dreamweaver, 106  
 Mail  
   client software, 488, 489  
   server software, 488, 489  
   session, 494, 495  
 Main project (NetBeans), 76, 77  
 Map, 312-315  
 Mapping (servlet), 180, 181, 184, 185  
 Message object, 496, 497  
 MessagingException object, 500, 501  
 META-INF directory, 46, 47  
 Method  
   attribute, 120, 121, 140, 141  
   JSP, 164, 165  
 Microsoft Outlook, 488  
 Microsoft SQL Server, 416  
 MIME, 488, 489  
 MIME types, 558, 559, 566, 567, 572-575  
 MimeMessage class, 496, 497  
 Model, 208, 209  
 Model 1 architecture, 206, 207  
   with JavaBeans, 306, 307  
 Model 2 architecture, 208, 209  
 Model-View-Controller pattern, *see MVC pattern*  
 Mozilla Firefox, 6, 7, 252, 253, 570, 571  
 MP3 sound file, 274, 275, 578, 579  
 Multipurpose Internet Message Extension, *see MIME*  
 Music Store web site, 624-648  
   Admin application, 683-702  
   Cart application, 661-682  
   Download application, 649-660

- Process Invoices application, 688-695
- Reports application, 696-701
- MVC pattern, 18, 208, 209
  - with JavaBeans, 302-305
- MySQL, 6, 7, 20, 21, 415-438
  - Administrator Tool, 420-423
  - command, 426, 427
  - command-line tool, 418, 419, 424-437
  - database service, 420-423
  - GUI Tools, 418-421
  - GUI Tools installation, 714, 715
  - JDBC driver installation, 716, 717
  - installation, 710, 711
  - monitor, 424-437
  - Query Browser, 418, 419, 420, 421

## N

---

- Native protocol all Java driver, 443
- Native protocol partly Java driver, 443
- Nested properties (EL), 320, 321
- Net protocol all Java driver, 443
- NetBeans, 24, 25, 61-98, 194-197
  - add class library, 96, 97
  - add existing files, 92, 93
  - add HTML file, 80, 81
  - add JAR file, 96, 97
  - add Java class, 84, 85
  - add JSP file, 80, 81
  - add servlet, 86, 87
  - build script, 72
  - create web application, 72, 73
  - default browser, 78, 79
  - deploy application, 92, 93
  - edit HTML file, 82, 83
  - edit Java file, 88, 89
  - edit JSP file, 82, 83
  - edit XML file, 90, 91
  - Files window, 92, 93
  - installation, 62, 63
  - Java version, 64, 65
  - Output windows, 78, 79
  - project, 72, 73
  - register database, 70, 71
  - run application, 78, 79
  - Services window, 94, 95
  - servlet mapping, 86, 87

- servlet reloading, 54, 55
- startup, 64, 65
- Tomcat configuration, 66-69
- work with server, 94, 95
- work with files, 74, 75
- work with projects, 76, 77
- next method (ResultSet object), 446, 447
- nextElement method (Enumeration object), 146, 250, 251

## O

---

- Object-to-relational mapping, 474, 475
- OnClick attribute, 124, 125, 214, 215
- Operator (EL), 328-331
- OR mapping, 474, 475
- Oracle Database, 6, 7, 416, 444, 445
- out tag (JSTL), 356, 357
- Outer join, 434, 435
- Output window (NetBeans), 78, 79, 194-197

## P

---

- Package, 46, 47
- Page directive (JSP), 160, 161
- Page scope, 292, 293
- PageContext class, 404, 405
- pageContext object (EL access), 326, 327
- pageScope object (EL), 316, 317
- param tag (JSTL), 356
- Parameter, 296, 297
  - append, 150, 151
  - JSP, 140, 141, 150-153
  - passing, 268-271
  - prepared statement, 452, 453
- Password box, 122, 123
- Pattern, 208
- PDF, 578
- Per-session cookie, 252, 258, 259
- Persistent cookie, 252
- Persistent data storage, 206, 207
- Pixel, 114
- POP, 488, 489
- Port, 38, 39
- Port 80, 42, 43
- Portable Document Format, 578
- Post method, 152, 153

Post Office Protocol, 488, 489  
 Prepared statement (JDBC), 452, 453  
 Presentation layer, 22, 23  
 Primary key (database), 428, 429  
 Privileged attribute (context.xml file), 56, 57  
 Project (NetBeans), 72, 73  
 Projects window (NetBeans), 74, 75  
 Properties object, 494, 495  
 Property (JavaBean), 288, 289  
 Protocol, 38, 39

## Q

---

Query, 432, 436, 437  
 Query Browser (MySQL), 418-421

## R

---

RA, 518, 519  
 Radio button, 126, 127  
 RDBMS, 416  
 Read-only result set, 446, 447  
 Realm, 538-545  
 Redirect response, 212, 213  
 redirect tag (JSTL), 356, 357  
 Referential integrity, 416, 417  
 Refresh button, 152  
 Registration authority, 518, 519  
 Relational database, 428, 429  
   management system, 416  
 Relative link (HTML), 110, 111  
 Reload an application, 52-55  
 Reloadable attribute (context.xml file), 54, 55  
 remove tag (JSTL), 356, 357  
 removeAttribute method (session object), 248, 249  
 Request forwarding, 212, 213  
 Request header (HTTP request), 556, 557, 560,  
   561, 566-571  
 Request line (HTTP request), 556, 557  
 request object, 142, 143, 146, 147, 178, 179, 182,  
   183, 248, 249, 260, 261  
 Request scope, 248, 249, 292, 293  
 RequestDispatcher object, 212, 213  
 requestScope object (EL), 316, 317  
 Reset button, 124, 125  
 Response body (HTTP response), 556, 557  
 Response entity (HTTP response), 556, 557

Response header (HTTP response), 556, 557, 564,  
   565, 572, 573  
 response object, 178, 179, 182, 183, 260, 261  
 Result set, 432, 433, 446-449  
 Result table, *see Result set*  
 ResultSet object, 446-449, 462, 463  
 ResultSetMetaData object, 462, 463  
 Right outer join, 434, 435  
 Role, 532, 533, 536, 537  
 role element (tomcat-users.xml), 50, 51  
 Root directory, 46, 47  
 Root element, 230, 231  
 Row, 112, 113  
 Row (database), 428, 429  
 Row pointer (database), 446, 447  
 Run application, 44, 45  
   with NetBeans, 78, 79

## S

---

Schema, 418  
 Scope, 248, 249, 292, 293, 314-317, 356, 357  
   PageContext class, 404, 405  
   scripting variable, 400, 401  
 Scripting disabling, 332, 333  
 Scripting variable, 398-401  
 Scriptlet, 142-145  
 Secure connection, 514, 515, 524-527  
   cookies, 264, 265  
 Secure Sockets Layer, 513-528  
 Security (Music Store web site), 684, 685  
 Security realm, 532, 533, 538-545  
 Security role, 532, 533, 536, 537  
 Select database, 426, 427  
 SELECT statement (SQL), 432-435, 446, 447  
 send method (Transport class), 500, 501  
 SendFailedException object, 500, 501  
 sendMessage method (Transport class), 500, 501  
 sendRedirect method (response object), 212, 213  
 Serializable interface, 288, 289  
 Server computer, 6, 7  
 Server.xml file, 42, 43  
   realms, 538, 539  
 Service method (servlet), 188, 189  
 Services window (NetBeans), 94, 95  
 Servlet, 18, 19, 173-198  
   element, 48, 49

- engine, 34, 35, 244, 245, 288
- errors, 192, 193
- invoker, 56, 57
- mapping, 48, 49, 86, 87, 180, 181, 184, 185
- methods, 188, 189
- reloading, 54, 55
- request, 186, 187
- Servlet/JSP container, *see Servlet/JSP engine*
- Servlet/JSP engine, 12, 13, 20, 21
- ServletContext object, 148, 149, 212, 213
- ServletContextAttributeListener interface, 590, 591
- ServletContextListener interface, 584-589
- servlet-mapping element, 48, 49
- ServletRequestAttributeListener interface, 590, 591
- ServletRequestListener interface, 590, 591
- Session ID, 244, 245, 250, 251, 254, 255, 258, 259
- session object, 244, 245, 248, 249
- Session class (JavaMail), 494, 495
- Session scope, 248, 249, 292, 293
- Session tracking, 244-247
- sessionScope object (EL), 316, 317
- set method (JavaBean), 288, 289
- set tag (JSTL), 356, 357
- setAttribute method (session object), 248, 249
- setAttribute method (request object), 210, 211
- setContent method (MimeMessage object), 496, 497
- setContentLength method (response object), 572, 573
- setContentType method (response object), 182, 183, 572, 573
- setDateHeader method (response object), 572, 573
- setDebug method (Session class), 494, 495
- setDomain method (Cookie class), 264, 265
- setFrom method (MimeMessage object), 498, 499
- setHeader method (response object), 572, 573
- setIntHeader method (response object), 572, 573
- setMaxAge method (Cookie class), 260, 261, 262, 263
- setMaxInactiveInterval method (session object), 250, 251
- setPath method (Cookie class), 260, 261, 264, 265
- setProperty tag (JSP), 294-297
- setRecipient method (MimeMessage object), 498, 499
- setRecipients method (MimeMessage object), 498, 499
- setSecure method (Cookie class), 264, 265
- setStatus method (response object), 572, 573
- setSubject method (MimeMessage object), 496, 497
- setText method (MimeMessage object), 496, 497
- setVersion method (Cookie class), 264, 265
- Shopping Cart application, 4, 5, 661-682
- Show Databases command (MySQL), 426, 427
- Show Tables command (MySQL), 428, 429
- shutdown command (Tomcat), 36, 37
- Simple Mail Transfer Protocol, 488, 489
- Singleton pattern, 468
- SMTP, 488, 489
- SQL, 416
- SQL script, 428, 429
  - JDBCRealm, 542, 543
  - Music Store database, 638, 640, 641
- SQL statement, 426, 427
- SQLException class, 444, 445, 460, 461
- SSL, 513-528
  - client authentication, 516, 517
  - server authentication, 516, 517
  - strength, 518, 519
- Stack trace, 196, 197
- Stand-alone development, 20, 21
- Standard Tag Library, *see JSTL*
- Standard text box, 122, 123
- Start an application, 52, 53
- startup command (Tomcat), 36, 37
- State, 244, 245
- Stateless protocol, 244, 245
- Statement object, 446, 447
- Static web page, 8, 9
- Status code (HTTP response), 556, 557, 562, 563, 572, 573
- Status line (HTTP response), 556, 557
- Stop an application, 52, 53
- Structured Query Language, 416
- Style, 118, 119
- Style sheet, 118, 119
- Submit button, 120, 121, 124, 125, 138-141
- synchronized keyword, 256, 257
- System.err object, 194, 195
- System.out object, 194, 195

**T**


---

Tab order, 132, 133  
 Tab-delimited text, 574, 575  
 TabIndex attribute, 132, 133  
 Table  
   database, 428, 429  
   HTML, 112-115  
 Tag  
   HTML, *see HTML tag*  
   XML, 230, 231  
 Tag class, 378, 379, 380, 381, 384, 385, 390, 391, 394-397  
 tag element, 378, 379, 384, 385, 388, 389, 394, 395, 398, 399  
 Tag Extra Information Class, *see TEI class*  
 Tag handler class, *see Tag class*  
 Tag interface, 380, 381  
 Tag library, 378, 379  
 Tag Library Descriptor, *see TLD*  
 TagExtraInfo class, 400, 401  
 Tagging interface, 288  
 Taglib directive  
   custom tag, 376, 377  
   JSTL, 338, 339  
 TagSupport class, 380, 381, 402, 403  
 TEI class, 398-401  
 Text area, 130, 131  
 Text box, 120-123  
 this keyword (Java), 124, 125  
 Thread, 164, 165, 256, 257, 464, 465  
 Thread-safe, 164, 165, 190, 191, 256, 257  
 TLD, 378, 379, 384, 385, 388, 389, 394, 395, 398, 399  
 TLS, 514, 515  
 Tomcat, 12, 13, 20, 21, 288  
   authentication, 532, 533  
   change port, 38, 39  
   connection pooling, 464, 465  
   console, 194, 195  
   directories, 32, 33  
   files, 32, 33  
   home directory, 30, 31  
   install, 30, 31  
   log file, 196, 197  
   NetBeans windows, 78, 79

  port, 42, 43  
   problems, 40, 41  
   SSL, 522, 523  
   start and stop, 36, 37  
   test, 38, 39  
   TLD, 379  
 Tomcat Web Application Manager, 48, 50, 51  
   reload application, 52-55  
   start application, 52, 53  
   start manager, 50, 51  
   stop application, 52, 53  
   undeploy, 52, 53  
 Tomcat-users.xml file, 50, 51, 538, 539  
 Transaction processing, 416, 417  
 Transport class, 500, 501  
 Transport Layer Security, 514, 515

**U**


---

Undeploy an application, 52, 53  
 Uniform Resource Locator, *see URL*  
 Unix, 32, 36  
 UPDATE statement (SQL), 436, 437, 450, 451  
 URL, 38, 39, 150, 151  
 URL encoding, 244, 245, 254, 255  
 URL pattern, 184, 185  
 URL rewriting, 268, 269  
 url tag (JSTL), 342, 343  
 Use command (MySQL), 426, 427  
 useBean tag (JSP), 292, 293  
 user element (tomcat-users.xml), 50, 51  
 User interface layer, *see Presentation layer*  
 UserDatabaseRealm, 538, 539

**V**


---

Validate data, 214-223  
   JavaScript, 214, 215  
   servlet, 218, 219  
 VariableInfo class, 400, 401  
 View, 208, 209  
 WAR file, 44, 45, 92, 93  
 Web application, 4, 5  
   architecture, 22, 23  
 Web Application Manager  
   reload application, 52-55

- start application, 52, 53
- start manager, 50, 51
- stop application, 52, 53
- undeploy, 52, 53

Web Archive File, *see* WAR file

Web browser, *see* Browser

Web host, 26, 27

Web page

- dynamic, 10, 11
- static, 8, 9

Web server, 6, 7, 13, 20, 21

Web.xml file, 48, 49, 90, 91, 180, 181, 230-239, 274, 275

- basic authentication, 546, 547
- context initialization parameter, 232, 233
- error handling, 236, 237
- error code, 236, 237
- error page, 236, 237
- exception type, 236, 237
- filters, 604, 605, 616, 617
- form-based authentication, 548, 549
- initialization parameter, 56, 57, 232, 233
- invoker servlet, 56, 57
- listeners, 586, 587
- Music Store web site, 631-632
- security constraint, 532, 533
- security role, 536, 537
- servlet initialization parameter, 232, 233
- servlet mapping, 180, 181
- session timeout, 180, 181
- welcome file list, 180, 181

webapps directory, 32, 33, 44-47

WEB-INF directory, 46, 47, 148, 149, 231

welcome-file element, 48, 49

Welcome page, 48, 49

Wrapper pattern, 612-615

## Y

---

Yahoo! mail, 508, 509

## Z

---

Zero-argument constructor, 288, 289

## X

---

XML, 22, 23

- comment, 230, 231
- declaration, 180, 181
- element, 230, 231
- tag, 230, 231
- validation, 90, 91